

References Nutrition I-Mag spring

Hay fever feature:

Catherine Gorman:

<https://aafa.org/allergies/allergy-facts/>
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7575215/>
[https://www.ijdonline.com/article/S1201-9712\(21\)00751-7/fulltext](https://www.ijdonline.com/article/S1201-9712(21)00751-7/fulltext)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9305273/>
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6273625/>
<https://karger.com/iaa/article/182/2/94/168518/The-Gut-Microbiome-of-Adults-with-Allergic>
<https://pubmed.ncbi.nlm.nih.gov/18181730/>
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3784923/>
<https://www.frontiersin.org/articles/10.3389/fcimb.2021.650893/full>
<https://www.frontiersin.org/articles/10.3389/fcimb.2020.00009/full>

Max Wiseberg:

[1] Lda Chatzi, Gianna Apostolaki, Ioannis Bibakis, Isabel Skypala, Vasilki Bibaki-Liakou, Nikolaos Tzanakis, Manolis Kogevinas, Paul Cullinan, "Protective effect of fruits, vegetables and the Mediterranean diet on asthma and allergies among children in Crete.", *Thorax* 2007;62:8 677-683 Published Online First: 5 April 2007 doi:10.1136/thx.2006.069419

[2] Chief Investigator: Professor Roy Kennedy, Principal Investigator: Louise Robertson, Researcher: Dr Mary Lewis, National Pollen & Aerobiology Research Unit, 1st February 2012.

Annie Edwards:

1. <https://www.allergyuk.org/about-allergy/statistics-and-figures/>

Keri Briggs:

de Batlle J, Garcia-Aymerich J, Barraza-Villarreal A, Antó JM, Romieu I. Mediterranean diet is associated with reduced asthma and rhinitis in Mexican children. *Allergy*. 2008 Oct;63(10):1310-6.

Blaiss, M.S. (2004) Allergic rhinitis and impairment issues in schoolchildren: a consensus report. *Curr Med Res Opin* 20: 1937–1952.

Bousquet, J., Demarteau, N., Mullol, J., van den Akker-van Marle, M.E., Van Ganse, E. and Bachert, C. (2005) Costs associated with persistent allergic rhinitis are reduced by levocetirizine. *Allergy* 60: 788–794.

Chatzi L, Apostolaki G, Bibakis I, Skypala I, Bibaki-Liakou V, Tzanakis N, Kogevinas M, Cullinan P. Protective effect of fruits, vegetables and the Mediterranean diet on asthma and allergies among children in Crete. *Thorax*. 2007 Aug;62(8):677-83.

Chatzi L, Kogevinas M. Prenatal and childhood Mediterranean diet and the development of asthma and allergies in children. *Public Health Nutr*. 2009 Sep;12(9A):1629-34.

Eniitnucl EM. Hayfever, a post-industrial revolution epidemic. *Clin Allergy* 1988; 18:295 304.

Greiner AN, Hellings PW, Rotiroti G, Scadding GK. Allergic rhinitis. *Lancet*. 2011 Dec 17;378(9809):2112-22.

Güvenç IA, Muluk NB, Mutlu FŞ, Eşki E, Altıntoprak N, Oktemer T, Cingi C. Do probiotics have a role in the treatment of allergic rhinitis? A comprehensive systematic review and meta-analysis. *Am J Rhinol Allergy*. 2016 Sep 1;30(5):157-175.

Kawamoto Y, Ueno Y, Nakahashi E, Obayashi M, Sugihara K, Qiao S, Iida M, Kumasaka MY, Yajima I, Goto Y, Ohgami N, Kato M, Takeda K. Prevention of allergic rhinitis by ginger and the molecular basis of immunosuppression by 6-gingerol through T cell inactivation. *J Nutr Biochem*. 2016 Jan;27:112-22.

Kurup VP, Barrios CS. Immunomodulatory effects of curcumin in allergy. *Mol Nutr Food Res*. 2008 Sep;52(9):1031-9.

Li J, Fang F, Mei M, Wu D. The gut microbiome and allergic rhinitis; refocusing on the role of probiotics as a treatment option. *Eur Arch Otorhinolaryngol*. 2023 Feb;280(2):511-517.

Lyons SA, Dijk AMV, Knulst AC, Alquati E, Le TM, Os-Medendorp HV. Dietary Interventions in Pollen-Related Food Allergy. *Nutrients*. 2018 Oct 16;10(10):1520.

Marshall, P.S. and Colon, E.A. (1993) Effects of allergy season on mood and cognitive function. *Ann Allergy* 71: 251–258

Mlcek J, Jurikova T, Skrovankova S, Sochor J. Quercetin and its antiallergic immune response. *Molecules* 2016; 21: 623

Ober C, Yao TC. The genetics of asthma and allergic disease: a 21st century perspective. *Immunol Rev*. 2011 Jul;242(1):10-30.

Ozdoganoglu T, Songu M, Inancli HM. Quality of life in allergic rhinitis. *Ther Adv Respir Dis*. 2012 Feb;6(1):25-39.

Pawankar, Ruby & Walter, Canonica & Holgate, S.T. & Lockey, R.F.. (2012). WAO, white book on allergy. 52. 55-58.

Santos, C.B., Pratt, E.L., Hanks, C., McCann, J. and Craig, T.J. (2006) Allergic rhinitis and its effect on sleep, fatigue, and daytime somnolence. *Ann Allergy Asthma Immunol* 97: 579–586.

Siddiqui ZA, Walker A, Pirwani MM, Tahiri M, Syed I. Allergic rhinitis: diagnosis and management. *Br J Hosp Med (Lond)*. 2022 Feb 2;83(2):1-9.

Stuck, B.A., Czajkowski, J., Hagner, A.E., Klimek, L., Verse, T., Hormann, K. et al. (2004) Changes in daytime sleepiness, quality of life, and objective sleep patterns in seasonal allergic rhinitis: a controlled clinical trial. *J Allergy Clin Immunol* 113: 663–668.

Sundberg, R., Toren, K., Hoglund, D., Aberg, N. and Brisman, J. (2007) Nasal symptoms are associated with school performance in adolescents. *J Adolesc Health* 40: 581–583.

Varney V. Hayfever in the United Kingdom. *Clin Exp Allergy*. 1991 Nov;21(6):757-62.

Vliagoftis H, Kouranos VD, Betsi GI, Falagas ME. Probiotics for the treatment of allergic rhinitis and asthma: systematic review of randomized controlled trials. *Ann Allergy Asthma Immunol*. 2008 Dec;101(6):570-9.

Walker, S., Khan-Wasti, S., Fletcher, M., Cullinan, P., Harris, J. and Sheikh, A. (2007) Seasonal allergic rhinitis is associated with a detrimental effect on examination performance in United Kingdom teenagers: case-control study. *J Allergy Clin Immunol* 120: 381–387.

Watts AM, West NP, Zhang P, Smith PK, Cripps AW, Cox AJ. The Gut Microbiome of Adults with Allergic Rhinitis Is Characterised by Reduced Diversity and an Altered

Abundance of Key Microbial Taxa Compared to Controls. *Int Arch Allergy Immunol*. 2021;182(2):94-105.

Yamada S, Shirai M, Inaba Y, Takara T. Effects of repeated oral intake of a quercetin-containing supplement on allergic reaction: a randomized, placebo-controlled, double-blind parallel-group study. *Eur Rev Med Pharmacol Sci*. 2022 Jun;26(12):4331-4345.

Digestive health feature:

Keri Briggs:

Azad MAK, Sarker M, Li T, Yin J. Probiotic Species in the Modulation of Gut Microbiota: An Overview. *Biomed Res Int*. 2018 May 8;

Barbara G, Feinle-Bisset C, Ghoshal UC et al. The intestinal microenvironment and functional gastrointestinal disorders. *Gastroenterology*. 2016; 150: 1305–1318

Bekar, O.; Yilmaz, Y.; Gulten, M. Kefir Improves the Efficacy and Tolerability of Triple Therapy in Eradicating *Helicobacter pylori*. *J. Med. Food* 2011, 14, 344–347

Bouhnik Y., Raskine L., Simoneau G., Vicaut E., Neut C., Flourié B., Brouns F., Bornet F.R. The capacity of nondigestible carbohydrates to stimulate fecal bifidobacteria in healthy humans: A double-blind, randomized, placebo-controlled, parallel-group, dose-response relation study. *Am. J. Clin. Nutr.* 2004;80:1658–1664

Canavan C, West J, Card T. The epidemiology of irritable bowel syndrome. *Clin Epidemiol*. 2014 Feb 4;6:71-80.

Capurso L. Thirty Years of *Lactobacillus rhamnosus* GG: A Review. *J Clin Gastroenterol*. 2019 Mar;53 Suppl 1:S1-S41

Cardona F, Andrés-Lacueva C, Tulipani S, Tinahones FJ, Queipo-Ortuño MI. Benefits of polyphenols on gut microbiota and implications in human health. *J Nutr Biochem*. 2013 Aug;24(8):1415-22.

Carroll IM, Ringel-Kulka T, Siddle JP, et al. Alterations in composition and diversity of the intestinal microbiota in patients with diarrhea-predominant irritable bowel syndrome. *Neurogastroenterol Motil* 2012;24:521–30

Clapp M, Aurora N, Herrera L, Bhatia M, Wilen E, Wakefield S. Gut microbiota's effect on mental health: The gut-brain axis. *Clin Pract*. 2017 Sep 15;7(4):987.

Corazziari E. Definition and epidemiology of functional gastrointestinal disorders. *Best Pract Res Clin Gastroenterol*. 2004 Aug;18(4):613-31

Corrêa-Oliveira R, Fachi JL, Vieira A, Sato FT, Vinolo MAR: Regulation of immune cell function by short-chain fatty acids. *Clin Transl Immunol* 2016, 5:e73

Cronin P, Joyce SA, O'Toole PW, O'Connor EM. Dietary Fibre Modulates the Gut Microbiota. *Nutrients*. 2021 May 13;13(5):1655.

Dale HF, Rasmussen SH, Asiller ÖÖ, Lied GA. Probiotics in Irritable Bowel Syndrome: An Up-to-Date Systematic Review. *Nutrients*. 2019 Sep 2;11(9):2048

De Vadder F, Grasset E, Manneras Holm L et al. Gut microbiota regulates maturation of the adult enteric nervous system via enteric serotonin networks. *Proc. Natl. Acad. Sci. U.S.A.* 2018; 115: 6458–63

Dimidi E, Cox SR, Rossi M, Whelan K. Fermented Foods: Definitions and Characteristics, Impact on the Gut Microbiota and Effects on Gastrointestinal Health and Disease. *Nutrients*. 2019 Aug 5;11(8):1806.

Dowden, A. (2021), The impact of chronic constipation in adults. *Prescriber*, 32: 25-28

Fogliano V, Corollaro ML, Vitaglione P, Napolitano A, Ferracane R, Travaglia F *et al.* In vitro bioaccessibility and gut biotransformation of polyphenols present in the water-insoluble cocoa fraction. *Mol Nutr Food Res*, 55 (1) (2011), pp. 44-55

Ford AC, Marwaha A, Sood R, *et al* Global prevalence of, and risk factors for, uninvestigated dyspepsia: a meta-analysis. *Gut* 2015;**64**:1049–57

Francavilla R, Miniello V, Magistà AM, De Canio A, Bucci N, Gagliardi F, Lionetti E, Castellaneta S, Polimeno L, Peccarisi L, Indrio F, Cavallo L. A randomized controlled trial of Lactobacillus GG in children with functional abdominal pain. *Pediatrics*. 2010 Dec;126(6):e1445-52.

Gargari G, Taverniti V, Gardana C, *et al.* Fecal Clostridiales distribution and short-chain fatty acids reflect bowel habits in irritable bowel syndrome. *Environ Microbiol* 2018;20:3201–3213.

Ghoshal U, Shukla R, Srivastava D, Ghoshal UC. Irritable bowel syndrome, particularly the constipation-predominant form, involves an increase in *Methanobrevibacter smithii*, which is associated with higher methane production. *Gut Liver*. 2016; 10: 932–8.

Gibson GR, Probert HM, Van Loo J, Rastall RA, Roberfroid MB. Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutr Res Rev* 2004; 17:259-75;

Heidelbaugh JJ. Proton pump inhibitors and risk of vitamin and mineral deficiency: evidence and clinical implications. *Ther Adv Drug Saf*. 2013 Jun;4(3):125-33. doi: 10.1177/2042098613482484. PMID: 25083257; PMCID: PMC4110863.

Hojsak I. Probiotics in Functional Gastrointestinal Disorders. *Adv Exp Med Biol*. 2019;1125:121-137.

Jeong K, Kim M, Jeon SA, Kim YH, Lee S. A randomized trial of Lactobacillus rhamnosus IDCC 3201 tyndallizate (RHT3201) for treating atopic dermatitis. *Pediatr Allergy Immunol*. 2020 Oct;31(7):783-792

Jiang H, Ling Z, Zhang Y, Mao H, Ma Z, Yin Y, Wang W, Tang W, Tan Z, Shi J: Altered fecal microbiota composition in patients with major depressive disorder. *Brain Behav Immun* 2015, 48:186–194.

Kennedy TM, Jones RH, Hunging AP, *et al.* Irritable bowel syndrome, gastro-oesophageal reflux, and bronchial hyper-responsiveness in the general population. *Gut* 1998; 43: 770–774

Klarin B, Johansson ML, Molin G, Larsson A, Jeppsson B. Adhesion of the probiotic bacterium Lactobacillus plantarum 299v onto the gut mucosa in critically ill patients: a randomised open trial. *Crit Care*. 2005 Jun;9(3):R285-93.

Knowles SR, Nelson EA, Palombo EA: Investigating the role of perceived stress on bacterial flora activity and salivary cortisol secretion: a possible mechanism underlying susceptibility to illness. *Biol Psychol* 2008, 77:132–137

Koloski NA, Talley NJ, Boyce PM. The impact of functional gastrointestinal disorders on quality of life. *Am J Gastroenterol*. 2000 Jan;95(1):67-71.

Kozyrskyj AL; CHILD Study Investigators. Postnatal exposure to household disinfectants, infant gut microbiota and subsequent risk of overweight in children. *CMAJ*. 2018 Sep 17;190(37)

Laake, K.O., Bjorneklett, A., Bakka, A., Midtvedt, T., Norin, K.E., Eide, T.J., Jacobsen, M.B., Lingaas, E., Axelsen, A.K., Lotveit, T., Vatn, M.H. Influence of fermented milk on clinical state, fecal bacterial counts and biochemical characteristics in patients with ileal- pouch- anal-anastomosis. 1999. *Microbial Ecology in Health and Disease*, 11: 211-217

Liu F., Li P., Chen M., Luo Y., Prabhakar M., Zheng H., He Y., Qi Q., Long H., Zhang Y., et al. Fructooligosaccharide (FOS) and Galactooligosaccharide (GOS) Increase Bifidobacterium but Reduce Butyrate Producing Bacteria with Adverse Glycemic Metabolism in healthy young population. *Sci. Rep.* 2017;7:11789

Lopitz-Otsoa, F.; Rementeria, A.; Elguezal, N.; Garaizar, J. Kefir: A symbiotic yeasts-bacteria community with alleged healthy capabilities. *Rev. Iberoam. Micol.* 2006, 23, 67–74.

Madison A, Kiecolt-Glaser JK. Stress, depression, diet, and the gut microbiota: human-bacteria interactions at the core of psychoneuroimmunology and nutrition. *Curr Opin Behav Sci.* 2019 Aug;28:105-110.

Magnusson KR, Hauck L, Jeffrey BM, Elias V, Humphrey A, Nath R, Perrone A, Bermudez LE. Relationships between diet-related changes in the gut microbiome and cognitive flexibility. *Neuroscience.* 2015 Aug 6;300:128-40.

Mahon J, Lifschitz C, Ludwig T, et al. The costs of functional gastrointestinal disorders and related signs and symptoms in infants: a systematic literature review and cost calculation for England *BMJ Open* 2017

Mars RAT, Yang Y, Ward T, et al. Longitudinal multi-omics reveals subset-specific mechanisms underlying irritable bowel syndrome. *Cell* 2020.

Mars RAT, Frith M, Kashyap PC. Functional Gastrointestinal Disorders and the Microbiome—What Is the Best Strategy for Moving Microbiome-based Therapies for Functional Gastrointestinal Disorders into the Clinic? *Gastroenterology.* 2021 Jan;160(2):538-555

McDonald D, Hyde E, Debelius JW, Morton JT, Gonzalez A, Ackermann G, Aksenov AA, Behsaz B, Brennan C, Chen Y, DeRight Goldasich L, Dorrestein PC, Dunn RR, Fahimipour AK, Gaffney J, Gilbert JA, Gogul G, Green JL, Hugenholtz P, Humphrey G, Huttenhower C, Jackson MA, Janssen S, Jeste DV, Jiang L, Kelley ST, Knights D, Kosciolk T, Ladau J, Leach J, Marotz C, Meleshko D, Melnik AV, Metcalf JL, Mohimani H, Montassier E, Navas-Molina J, Nguyen TT, Peddada S, Pevzner P, Pollard KS, Rahnavard G, Robbins-Pianka A, Sangwan N, Shorestein J, Smarr L, Song SJ, Spector T, Swafford AD, Thackray VG, Thompson LR, Tripathi A, Vázquez-Baeza Y, Vrbancac A, Wischmeyer P, Wolfe E, Zhu Q; American Gut Consortium; Knight R. American Gut: an Open Platform for Citizen Science Microbiome Research. *mSystems.* 2018 May 15;3(3)

Medeconnect. Online survey carried out in June and July 2010 involving a nationally representative sample of 508 GPs of all grades who were members of Doctors.net.uk. Data on file

Queipo-Ortuño MI, Boto-Ordóñez M, Murri M, Gomez-Zumaquero JM, Clemente-Postigo M, Estruch R, Cardona Diaz F, Andrés-Lacueva C, Tinahones FJ. Influence of red wine polyphenols and ethanol on the gut microbiota ecology and biochemical biomarkers. *Am J Clin Nutr.* 2012

Ruben A.T. Mars, Mary Frith, Purna C. Kashyap. Functional Gastrointestinal Disorders and the Microbiome—What Is the Best Strategy for Moving Microbiome-based Therapies for Functional Gastrointestinal Disorders into the Clinic?, *Gastroenterology*, Volume 160, Issue 2, 2021, Pages 538-555.

Sagen, O.B. Treatment of functional disturbance in the intestine by administration of lactic acid bacteria. 1989. Internal report

Sanchez M, Darimont C, Drapeau V, Emady-Azar S, Lepage M, Rezzonico E et al. Effect of *Lactobacillus rhamnosus* CGMCC13724 supplementation on weight loss and maintenance in obese men and women. *Br J Nutr* 2014; 111: 1507–1519

Savin Z, Kivity S, Yonath H, Yehuda S. Smoking and the intestinal microbiome. *Arch Microbiol.* 2018 Jul;200(5):677-684.

Shin A, Preidis GA, Shulman R, Kashyap PC. The gut microbiome in adult and pediatric functional gastrointestinal disorders. *Clin. Gastroenterol. Hepatol.* 2019; 17: 256–74

Smits SA, Leach J, Sonnenburg ED, Gonzalez CG, Lichtman JS, Reid G, Knight R, Manjurano A, Chagalucha J, Elias JE, Dominguez-Bello MG, Sonnenburg JL. Seasonal cycling in the gut microbiome of the Hadza hunter-gatherers of Tanzania. *Science* **357**, 802–806 (2017)

Sonnenburg ED, Sonnenburg JL. Starving Our Microbial Self: The Deleterious Consequences of a Diet Deficient in Microbiota-Accessible Carbohydrates. *Cell Metab* (2014) 20:779–86.

Sun Q, Jia Q, Song L, et al. Alterations in fecal short-chain fatty acids in patients with irritable bowel syndrome: A systematic review and meta-analysis. *Medicine (Baltimore)* 2019.

Tandon D., Haque M.M., Gote M., Jain M., Bhaduri A., Dubey A.K., Mande S.S. A prospective randomized, double-blind, placebo-controlled, dose-response relationship study to investigate efficacy of fructo-oligosaccharides (FOS) on human gut microflora. *Sci. Rep.* 2019;9:5473

Tap J, Derrien M, Tornblom H, et al. Identification of an Intestinal Microbiota Signature Associated With Severity of Irritable Bowel Syndrome. *Gastroenterology* 2017;152:111–123

Tun MH, Tun HM, Mahoney JJ, Konya TB, Guttman DS, Becker AB, Mandhane PJ, Turvey SE, Subbarao P, Sears MR, Brook JR, Lou W, Takaro TK, Scott JA, Wang L, Alamar N, Singh R et al. Gut microbial dysbiosis in the irritable bowel syndrome: a systematic review and meta-analysis of case-control studies. *J. Acad. Nutr. Diet.* 2020; 120: 565–86. 19

Turan, I.; Dedeli, O.; Bor, S.; Ilter, T. Effects of a kefir supplement on symptoms, colonic transit, and bowel satisfaction score in patients with chronic constipation: A pilot study. *Turk. J. Gastroenterol.* 2014, 25, 650–656

Tzounis X, Rodriguez-Mateos A, Vulevic J, Gibson GR, Kwik-Urbe C, Spencer JP. Prebiotic evaluation of cocoa-derived flavanols in healthy humans by using a randomized, controlled, double-blind, crossover intervention study. *Am J Clin Nutr.* 2011 Jan;93(1):62-72.

Wei L, Singh R, Ro S, Ghoshal UC. Gut microbiota dysbiosis in functional gastrointestinal disorders: Underpinning the symptoms and pathophysiology. *JGH Open.* 2021 Mar 23;5(9):976-987.

Wen Y, Li J, Long Q, Yue CC, He B, Tang XG. The efficacy and safety of probiotics for patients with constipation-predominant irritable bowel syndrome: A systematic review and meta-analysis based on seventeen randomized controlled trials. *Int J Surg.* 2020 Jul;79:111-119

Willson K, Situ C: Systematic review on effects of diet on gut microbiota in relation to metabolic syndromes. *J Clin Nutr Metab* 2017, 1.

Wu GD, Chen J, Hoffmann C, Bittinger K, Chen Y-Y, Keilbaugh SA, Bewtra M, Knights D, Walters WA, Knight R: Linking long-term dietary patterns with gut microbial enterotypes. *Science* 2011, 334:105–108

Yilmaz, I.; Dolar, M.E.; Ozpinar, H. Effect of administering kefir on the changes in fecal microbiota and symptoms of inflammatory bowel disease: A randomized controlled trial. *Turk. J. Gastroenterol.* 2019, 30, 242

Zeng M, Inohara N, Nuñez G: Mechanisms of inflammation-driven bacterial dysbiosis in the gut. *Mucosal Immunol* 2017, 10:18

Ask the experts:

Sophie Barrett:

1. Zang W, Jiang X, Zhao S et al. A polysaccharide-peptide with mercury clearance activity from dried fruiting bodies of maitake mushroom *Grifola frondosa*. *Sci Rep.* 2018;8(1):17630. Published 2018 Dec 4
2. Zhao YY, Xie RM, Chao X, Zhang Y, Lin RC, Sun WJ. Bioactivity-directed isolation, identification of diuretic compounds from *Polyporus umbellatus*. *J Ethnopharmacol.* 2009;126(1):184-187
3. Yuan, Dan & Mori, Junna & Komatsu, Ken-ich & Makino, Toshiaki & Kano, Yoshihiro. (2004). An Anti-aldosterone Diuretic Component (Drain dampness) in *Polyporus Sclerotium*. *Biological & pharmaceutical bulletin.* 27.867-70. 10.1248/bpb.27.867
4. Zhao YY. Traditional uses, phytochemistry, pharmacology, pharmacokinetics and quality control of *Polyporus umbellatus* (Pers.) Fries: a review. *J Ethnopharmacol.* 2013;149(1):35-48
5. Guo Z, Zang Y, Zhang L. The efficacy of *Polyporus Umbellatus* polysaccharide in treating hepatitis B in China. *Prog Mol Biol Transl Sci.* 2019;163:329-360. doi: 10.1016/bs.pmbts.2019.03012Epub 2019 Apr 9.
6. Gu, C. et al. (2006) Inhibition of hepatitis B virus by D-fraction from *Grifola frondosa*: synergistic effect of combination with interferon-alpha in HepG2 2.2.15. *Antiviral Research;* 72(2):162-165.

Ingredient spotlight:

Yang J, Guo Q, Feng X, Liu Y, Zhou Y. Mitochondrial Dysfunction in Cardiovascular Diseases: Potential Targets for Treatment. *Front Cell Dev Biol.* 2022;10:841523. Published 2022 May 13. doi:10.3389/fcell.2022.841523

Tomasetti M, Alleva R, Solenghi M, Littarru G. Distribution of antioxidants among blood components and lipoproteins: Significance of lipids/CoQ10 ratio as a possible marker of increased risk for atherosclerosis. 2018.

Fan L, Feng Y, Chen GC, Qin LQ, Fu CL, Chen LH. Effects of coenzyme Q10 supplementation on inflammatory markers: A systematic review and meta-analysis of randomized controlled trials. *Pharmacol Res.* 2017;119:128-136. doi:10.1016/j.phrs.2017.01.032

Mortensen S, Rosenfeldt F, Kumar A, Dolliner P, Filipiak K, Pella D et al. The Effect of Coenzyme Q 10 on Morbidity and Mortality in Chronic Heart Failure. *JACC: Heart Failure.* 2014;2(6):641-649

Al Saadi T, Assaf Y, Farwati M, et al. Coenzyme CoQ10 for heart failure. *Cochrane Database Syst Rev.* 2021;(2)(2):CD008684. Published 2021 Feb 3. doi:10.1002/14651858.CD008684.pub3

Alehagen, U.; Johansson, P.; Björnstedt, M.; Rosén, A.; Dahlström, U. Cardiovascular mortality and N-terminal proBNP reduced after combined selenium and CoQ10 supplementation: A 5 year prospective randomised double blind placebo controlled trial among elderly Swedish citizens. *Int. J. Cardiol.* 2013, 167, 1860–1866.

Alehagen U, Aaseth J, Alexander J, Johansson P. Still reduced cardiovascular mortality 12 years after supplementation with selenium and coenzyme Q10 for four years: A validation of previous 10-year follow-up results of a prospective randomized double-blind placebo-controlled trial in elderly. PLOS ONE.

Opstad TB, Alexander J, Aaseth JO, Larsson A, Seljeflot I, Alehagen U. Selenium and Coenzyme Q10 Intervention Prevents Telomere Attrition, with Association to Reduced Cardiovascular Mortality-Sub-Study of a Randomized Clinical Trial.

Nutrients. 2022;14(16):3346. Published 2022 Aug 15. doi:10.3390/nu14163346

Weber C, Bysted A, Hllmer G. The coenzyme Q10 content of the average Danish diet. Int J Vitam Nutr Res. 1997;67(2):123-129.

Ghirlanda G, Oradei A, Manto A, et al. Evidence of plasma CoQ10-lowering effect by HMG-CoA reductase inhibitors: a double-blind, placebo-controlled study. J Clin Pharmacol. 1993;33(3):226-229. doi:10.1002/j.1552-4604.1993.tb03948.x

Kalen A, Appelkvist E, Dallner G (1989) Age related changes in lipid composition of rat and human tissues. Lipids; 24: 579-584

Fladerer JP, Grollitsch S. Comparison of Coenzyme Q10 (Ubiquinone) and Reduced Coenzyme Q10 (Ubiquinol) as Supplement to Prevent Cardiovascular Disease and Reduce Cardiovascular Mortality. Curr Cardiol Rep. Published online November 16, 2023. doi:10.1007/s11886-023-01992-6

López-Lluch, G.; Del Pozo-Cruz, J.; Sánchez-Cuesta, A.; Cortés-Rodríguez, A.B.; Navas, P. Bioavailability of coenzyme CoQ10 supplements depends on carrier lipids and solubilization. Nutrition 2019, 57, 133–140.

López-Lluch, G.; Del Pozo-Cruz, J.; Sánchez-Cuesta, A.; Cortés-Rodríguez, A.B.; Navas, P. Bioavailability of coenzyme CoQ10 supplements depends on carrier lipids and solubilization. Nutrition 2019, 57, 133–140.

López-Lluch, G.; Del Pozo-Cruz, J.; Sánchez-Cuesta, A.; Cortés-Rodríguez, A.B.; Navas, P. Bioavailability of coenzyme CoQ10 supplements depends on carrier lipids and solubilization. Nutrition 2019, 57, 133–140.