

**Ingredient spotlight:**

- 1 Salminen S, Collado MC, Endo A, *et al.* The International Scientific Association of Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of postbiotics. *Nat Rev Gastroenterol Hepatol* 2021; **18**: 649.
- 2 (Postbiotics OR Postbiotic) AND human health - Search Results - PubMed. [https://pubmed.ncbi.nlm.nih.gov/?term=%28Postbiotics+OR+Postbiotic%29+AND+human+health&filter=datesearch.y\\_5](https://pubmed.ncbi.nlm.nih.gov/?term=%28Postbiotics+OR+Postbiotic%29+AND+human+health&filter=datesearch.y_5) (accessed April 10, 2025).
- 3 Aguilar-Toalá JE, Arioli S, Behare P, *et al.* Postbiotics — when simplification fails to clarify. *Nature Reviews Gastroenterology & Hepatology* 2021 18:11 2021; **18**: 825–6.
- 4 Salminen S, Collado MC, Endo A, *et al.* Reply to: Postbiotics — when simplification fails to clarify. *Nature Reviews Gastroenterology & Hepatology* 2021 18:11 2021; **18**: 827–8.
- 5 Bourebaba Y, Marycz K, Mularczyk M, Bourebaba L. Postbiotics as potential new therapeutic agents for metabolic disorders management. *Biomedicine and Pharmacotherapy* 2022; **153**. DOI:10.1016/J.BIOPHA.2022.113138.
- 6 Thorakkattu P, Khanashyam AC, Shah K, *et al.* Postbiotics: Current Trends in Food and Pharmaceutical Industry. *Foods* 2022; **11**. DOI:10.3390/FOODS11193094.
- 7 Moradi M, Kousheh SA, Almasi H, *et al.* Postbiotics produced by lactic acid bacteria: The next frontier in food safety. *Compr Rev Food Sci Food Saf* 2020; **19**: 3390–415.
- 8 Andresen V, Gschossmann J, Layer P. Heat-inactivated *Bifidobacterium bifidum* MIMBb75 (SYN-HI-001) in the treatment of irritable bowel syndrome: a multicentre, randomised, double-blind, placebo-controlled clinical trial. *Lancet Gastroenterol Hepatol* 2020; **5**: 658–66.
- 9 Srivastava S, Basak U, Naghibi M, *et al.* A randomized double-blind, placebo-controlled trial to evaluate the safety and efficacy of live *Bifidobacterium longum* CECT 7347 (ES1) and heat-treated *Bifidobacterium longum* CECT 7347 (HT-ES1) in participants with diarrhea-predominant irritable bowel syndrome. *Gut Microbes* 2024; **16**. DOI:10.1080/19490976.2024.2338322.
- 10 West C, Stanisiz AM, Wong A, Kunze WA. Effects of *Saccharomyces cerevisiae* or *boulardii* yeasts on acute stress induced intestinal dysmotility. *World J Gastroenterol* 2016; **22**: 10532.
- 11 de Marco S, Sichetti M, Muradyan D, *et al.* Probiotic Cell-Free Supernatants Exhibited Anti-Inflammatory and Antioxidant Activity on Human Gut Epithelial Cells and Macrophages Stimulated with LPS. 2018. DOI:10.1155/2018/1756308.
- 12 Canonici A, Siret C, Pellegrino E, *et al.* *Saccharomyces boulardii* Improves Intestinal Cell Restitution through Activation of the  $\alpha 2\beta 1$  Integrin Collagen Receptor. 2011. DOI:10.1371/journal.pone.0018427.
- 13 Canducci F, Armuzzi A, Cremonini F, *et al.* A lyophilized and inactivated culture of *Lactobacillus acidophilus* increases *Helicobacter pylori* eradication rates. *Aliment Pharmacol Ther* 2000; **14**: 1625–9.
- 14 Ivashkin V, Maev I, Poluektova E, *et al.* Efficacy and Safety of Postbiotic Contained Inactivated *Lactobacillus reuteri* (*Limosilactobacillus reuteri*) DSM17648 as Adjuvant Therapy in the Eradication of *Helicobacter pylori* in Adults With Functional Dyspepsia: A Randomized Double-Blind Placebo-Controlled Trial. *Clin Transl Gastroenterol* 2024; **15**: e1.

- 15 Huang Y, Pei Y, Qian Y, *et al.* A Meta-Analysis on the Efficacy and Safety of Bacterial Lysates in Chronic Obstructive Pulmonary Disease. *Front Med (Lausanne)* 2022; **9**: 1572.
- 16 Kotani Y, Shinkai S, Okamatsu H, *et al.* Oral intake of *Lactobacillus pentosus* strain b240 accelerates salivary immunoglobulin A secretion in the elderly: A randomized, placebo-controlled, double-blind trial. 2010. DOI:10.1186/1742-4933-7-11.
- 17 Pedret A, Valls RM, Calderón-Pérez L, *et al.* Effects of daily consumption of the probiotic *Bifidobacterium animalis* subsp. *lactis* CECT 8145 on anthropometric adiposity biomarkers in abdominally obese subjects: a randomized controlled trial. *Int J Obes (Lond)* 2019; **43**: 1863–8.
- 18 Higashikawa F, Noda M, Awaya T, *et al.* Antiobesity effect of *Pediococcus pentosaceus* LP28 on overweight subjects: a randomized, double-blind, placebo-controlled clinical trial. *Eur J Clin Nutr* 2016; **70**: 582–7.

### Ask the experts:

#### Elouise Bauskis:

1. Reid G. The scientific basis for probiotic strains of *Lactobacillus*. *Appl Environ Microbiol.* 1999;65:3763-766.
2. Martinez RC, *et al.* *Can J Microbiol.* 2009;55(2):133-138.
3. Vujic G, *et al.* *Eur J Obstet Gynecol Reprod Biol.* 2013;168:75-79
4. Beerepoot M, *et al.* Lactobacilli vs. Antibiotics to Prevent Urinary Tract Infections: A Randomized, Double-Blind, Noninferiority Trial in Postmenopausal Women. *Arch Intern Med.* 2012 May 14;172(9):704-12.doi:10.1001/archinternmed.2012.777.
5. Martinez RC, *et al.* Improved treatment of vulvovaginal candidiasis with fluconazole plus probiotic *Lactobacillus rhamnosus* GR-1 and *Lactobacillus reuteri* RC-14. *Lett Appl Microbiol.* 2009 Mar;48(3):269-74. doi: 10.1111/j.1472-765X.2008.02477.x. Epub 2009 Feb 2.
6. Reid G. The development of probiotics for women's health. *Can J Microbiol.* 63:269-277 (2017)
7. Reid G, Bruce A, *et al.* Persistence of *Lactobacillus fermentum* RC-14 and *Lactobacillus rhamnosus* GR-1 but Not *L. rhamnosus* GG in the Human Vagina as Demonstrated by Randomly Amplified Polymorphic DNA. *Clin Diagn Lab Immunol.* 2002 Jan; 9(1): 92–96
8. Velraeds M, van de Belt-Gritter B, *et al.* 1998. Interference in initial adhesion of uropathogenic bacteria and yeasts to silicone rubber by a *Lactobacillus acidophilus* biosurfactant. *J. Med. Microbiol.* 47:1081-1085

#### Sophie Barrett:

- Jayachandran, M., Xiao, J., & Xu, B. (2017). A critical review on health promoting benefits of edible mushrooms through gut microbiota. *International journal of molecular sciences*, 18(9), 1934.
- Nowak, R., Nowacka-Jechalke, N., Juda, M. *et al.* The preliminary study of prebiotic potential of Polish wild mushroom polysaccharides: the stimulation effect on *Lactobacillus* strains growth. *Eur J Nutr* 57, 1511–1521 (2018).
- Diling, C., Xin, Y., Chaoqun, Z., Jian, Y., Xiaocui, T., Jun, C., ... & Yizhen, X. (2017). Extracts from *Hericium erinaceus* relieve inflammatory bowel disease by regulating immunity and gut microbiota. *Oncotarget*, 8(49), 85838.

Sawangwan, T., Wansanit, W., Pattani, L., & Noysang, C. (2018). Study of prebiotic properties from edible mushroom extraction. *Agriculture and Natural Resources*, 52(6), 519-524.

Synytsya A, Mícková K, Synytsya A, Jablonský I, Speváček J, Erban V, Kováříková E, Copíková J (2009) Glucans from fruit bodies of cultivated mushrooms *Pleurotus ostreatus* and *Pleurotus eryngii*: Structure and potential prebiotic activity. *Carbohydrate Polymers* 76, 548-556.

He X, Wang X, Fang J, Chang Y, Ning N, Guo H, Huang L, Huang X, Zhao Z. Structures, biological activities, and industrial applications of the polysaccharides from *Heridium erinaceus* (Lion's Mane) mushroom: A review. *Int J Biol Macromol*. 2017 Apr;97:228-237.

Khan MA, Tania M, Liu R, Rahman MM. *Heridium erinaceus*: an edible mushroom with medicinal values. *J Complement Integr Med*. 2013 May 24;10:/j/jcim.2013.10.issue-1/jcim-2013-0001/jcim-2013-0001.xml.

Hongbai B, Rapior S, Hyde KD, Wittstein K, Stadler M (2015) *Heridium erinaceus*, an amazing medicinal mushroom. *Mycological Progress* 14, 1-23.

Wang D, Xu D, Zhang Y, Zhao D, Wang M (2020) – “A novel oligosaccharide isolated from *Heridium erinaceus* and its protection against LPS-induced Caco-2 cells via the TLR4/NF-kappaB pathway.” *J Food Biochem*. 2020 Mar;44(3):e13135.

Mao X, Lu ZM, Gong TT, Wang KL, Geng Y, Xu HY, Xu GH, Shi JS, Xu ZH (2019) – “Therapeutic Effect and Potential Mechanisms of Lion's Mane Medicinal Mushroom, *Heridium erinaceus* (Agaricomycetes), Mycelia in Submerged Culture on Ethanol-Induced Chronic Gastric Injury.” *Int J Med Mushrooms*. 2019;21(11):1137-1150.

Wang M, Gao Y, Xu D, Gao Q (2015) – “A polysaccharide from cultured mycelium of *Heridium erinaceus* and its anti-chronic atrophic gastritis activity.” *Int J Biol Macromol*. 2015 Nov;81:656-61. Epub 2015 Aug 24.

Wang G, Zhang X, Maier SE, Zhang L, Maier RJ (2019) – « In Vitro and In Vivo Inhibition of *Helicobacter pylori* by Ethanolic Extracts of Lion's Mane Medicinal Mushroom, *Heridium erinaceus* (Agaricomycetes).” *Int J Med Mushrooms*. 2019;21(1):1-11..

Wang XY, Yin JY, Zhao MM, Liu SY, Nie SP, Xie MY (2018) – “Gastroprotective activity of polysaccharide from *Heridium erinaceus* against ethanol induced gastric mucosal lesion and pylorus ligation-induced gastric ulcer, and its antioxidant activities.” *Carbohydr Polym*. 2018 Apr 15;186:100-109.

Liu JH, Li L, Shang XD, Zhang JL, Tan Q (2016) – “Anti-*Helicobacter pylori* activity of bioactive components isolated from *Heridium erinaceus*.” *J Ethnopharmacol*. 2016 May 13;183:54-58.

Martínez-Flores, H. E., Maya-Cortés, D. C., Figueroa-Cárdenas, J. D., Garnica-Romo, M. G., & Ponce-Saavedra, J. (2009). Chemical composition and physicochemical properties of shiitake mushroom and high fibre products. *Composición química y propiedades físico-químicas del hongo shiitake y de productos con alto contenido de fibra*. *CyTA—Journal of Food*, 7(1), 7-14.

Rivera, O. A., Albarracín, W., & Lares, M. (2017). Bioactive components of shiitake (*Lentinula edodes* Berk. Pegler) and its impact on health. *Archivos Venezolanos de Farmacología y Terapéutica*, 36(3), 67-71.

21.-Synytsya, A., Mícková, K., Synytsya, A., Jablonský, I., Speváček, J., Erban, V., ... & Copíková, J. (2009). Glucans from fruit bodies of cultivated mushrooms *Pleurotus ostreatus* and *Pleurotus eryngii*: Structure and potential prebiotic activity. *Carbohydrate polymers*, 76(4), 548-556

Aida FMNA, Shuhaimi M, Yazid M, Maaruf AG (2009) Mushroom as a potential source of prebiotics: a review. *Trends in Food Science & Technology* 20, 567-575.

Bhakta M, Kumar P (2013) Mushroom polysaccharides as a potential prebiotics. *International Journal of Health Sciences and Research* 3, 77-84.  
Yang Y, Zhao C, Diao M, et al. The Prebiotic Activity of Simulated Gastric and Intestinal Digesta of Polysaccharides from the *Hericium erinaceus*. *Molecules*. 2018;23(12):3158. Published 2018 Nov 30.

### **Keri Briggs:**

Azad MAK, Sarker M, Li T, Yin J. Probiotic Species in the Modulation of Gut Microbiota: An Overview. *Biomed Res Int*. 2018 May 8;  
Bouhnik Y., Raskine L., Simoneau G., Vicaut E., Neut C., Flourié B., Brouns F., Bornet F.R. The capacity of nondigestible carbohydrates to stimulate fecal bifidobacteria in healthy humans: A double-blind, randomized, placebo-controlled, parallel-group, dose-response relation study. *Am. J. Clin. Nutr.* 2004;80:1658–1664  
Capurso L. Thirty Years of *Lactobacillus rhamnosus* GG: A Review. *J Clin Gastroenterol*. 2019 Mar;53 Suppl 1:S1-S41  
Carroll IM, Ringel-Kulka T, Siddle JP, et al. Alterations in composition and diversity of the intestinal microbiota in patients with diarrhea-predominant irritable bowel syndrome. *Neurogastroenterol Motil* 2012;24:521–30  
Colman RJ, Rubin DT. Fecal microbiota transplantation as therapy for inflammatory bowel disease: A systematic review and meta-analysis. *J Crohns Colitis* 2014;8(12):1569–81  
Corrêa-Oliveira R, Fachi JL, Vieira A, Sato FT, Vinolo MAR: Regulation of immune cell function by short-chain fatty acids. *Clin Transl Immunol* 2016, 5:e73  
Cresci GA, Bawden E. Gut Microbiome: What We Do and Don't Know. *Nutr Clin Pract*. 2015 Dec;30(6):734-46..  
Cronin P, Joyce SA, O'Toole PW, O'Connor EM. Dietary Fibre Modulates the Gut Microbiota. *Nutrients*. 2021 May 13;13(5):1655.  
Dale HF, Rasmussen SH, Asiller ÖÖ, Lied GA. Probiotics in Irritable Bowel Syndrome: An Up-to-Date Systematic Review. *Nutrients*. 2019 Sep 2;11(9):2048  
De Palma G, Collins SM, Bercik P, Verdu EF. The microbiota-gut-brain axis in gastrointestinal disorders: stressed bugs, stressed brain or both? *J Physiol*. 2014;14:2989– 2997  
Falagas ME, Betsi GI, Tokas T, Athanasiou S. Probiotics for prevention of recurrent urinary tract infections in women: a review of the evidence from microbiological and clinical studies. *Drugs*. 2006;66(9):1253-61.  
Francavilla R, Miniello V, Magistà AM, De Canio A, Bucci N, Gagliardi F, Lionetti E, Castellaneta S, Polimeno L, Peccarisi L, Indrio F, Cavallo L. A randomized controlled trial of *Lactobacillus* GG in children with functional abdominal pain. *Pediatrics*. 2010 Dec;126(6):e1445-52.  
Fujiwara D, Inoue S, Wakabayashi H, Fujii T. The anti-allergic effects of lactic acid bacteria are strain dependent and mediated by effects on both Th1/Th2 cytokine expression and balance. *Int Arch Allergy Immunol*. 2004;135(3):205–15.  
Gargari G, Taverniti V, Gardana C, et al. Fecal Clostridiales distribution and short-chain fatty acids reflect bowel habits in irritable bowel syndrome. *Environ Microbiol* 2018;20:3201–3213.  
Ghoshal U, Shukla R, Srivastava D, Ghoshal UC. Irritable bowel syndrome, particularly the constipation-predominant form, involves an increase in *Methanobrevibacter smithii*, which is associated with higher methane production. *Gut Liver*. 2016; 10: 932–8.

Gibson GR, Probert HM, Van Loo J, Rastall RA, Roberfroid MB. Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutr Res Rev* 2004; 17:259-75;

Hilton E, Isenberg HD, Alperstein P, France K, Borenstein MT. Ingestion of yogurt containing *Lactobacillus acidophilus* as prophylaxis for candidal vaginitis. *Ann Intern Med*. 1992 Mar 1;116(5):353-7.

Hojdak I. Probiotics in Functional Gastrointestinal Disorders. *Adv Exp Med Biol*. 2019;1125:121-137.

Jeong K, Kim M, Jeon SA, Kim YH, Lee S. **A randomized trial of *Lactobacillus rhamnosus* IDCC 3201 tyndallizate (RHT3201) for treating atopic dermatitis.** *Pediatr Allergy Immunol*. 2020 Oct;31(7):783-792

Jernberg C, Lofmark S, Edlund C, Jansson JK. Long-term ecological impacts of antibiotic administration on the human intestinal microbiota. *ISME J*. 2007;1:56–66.

Kennedy TM, Jones RH, Hunging AP, et al. Irritable bowel syndrome, gastro-oesophageal reflux, and bronchial hyper-responsiveness in the general population. *Gut* 1998; 43: 770–774

Liu F., Li P., Chen M., Luo Y., Prabhakar M., Zheng H., He Y., Qi Q., Long H., Zhang Y., et al. Fructooligosaccharide (FOS) and Galactooligosaccharide (GOS) Increase *Bifidobacterium* but Reduce Butyrate Producing Bacteria with Adverse Glycemic Metabolism in healthy young population. *Sci. Rep.* 2017;7:11789

Lopitz-Otsoa, F.; Rementeria, A.; Elguezabal, N.; Garaizar, J. Kefir: A symbiotic yeasts-bacteria community with alleged healthy capabilities. *Rev. Iberoam. Micol.* 2006, 23, 67–74.

Majamaa H, Isolauri E. Probiotics: a novel approach in the management of food allergy. *J Allergy Clin Immunol*. 1997 Feb;99(2):179-85.

Mars RAT, Frith M, Kashyap PC. Functional Gastrointestinal Disorders and the Microbiome-What Is the Best Strategy for Moving Microbiome-based Therapies for Functional Gastrointestinal Disorders into the Clinic? *Gastroenterology*. 2021 Jan;160(2):538-555

Malfa, Patrizia, et al. "Evaluation of Antimicrobial, Antiadhesive and Co-Aggregation Activity of a Multi-Strain Probiotic Composition against Different Urogenital Pathogens." *International Journal of Molecular Sciences* 24.2 (2023): 1323.

McFarland LV. Systematic review and meta-analysis of *Saccharomyces boulardii* in adult patients. *World J Gastroenterol*. 2010 May 14;16(18):2202-22.

Mezzasalma et al., "Orally administered multispecies probiotic formulations to prevent uro-genital infections: a randomized placebo-controlled pilot study", *Arch Gynecol Obstet*, 2016. Erratum in: *Arch Gynecol Obstet*, 2017

Murina et al., "Evaluation of an orally administered multistrain probiotic supplement in reducing recurrences rate of bacterial vaginosis: a clinical and microbiological study". *Advances in Infectious Diseases*. 2019

Ribeiro FC, Rossoni RD, de Barros PP, Santos JD, Fugisaki LRO, Leão MPV, Junqueira JC. Action mechanisms of probiotics on *Candida* spp. and candidiasis prevention: an update. *J Appl Microbiol*. 2020 Aug;129(2):175-185.

Ried K, Travica N, Paye Y, Sali A. Effects of a Probiotic Formulation on Seasonal Allergic Rhinitis in Adults-A Randomized Double-Blind Placebo-Controlled Trial: The Probiotics for Hay Fever Trial. *Front Nutr*. 2022 May 23;9:887978.

Ruben A.T. Mars, Mary Frith, Purna C. Kashyap. Functional Gastrointestinal Disorders and the Microbiome—What Is the Best Strategy for Moving Microbiome-

based Therapies for Functional Gastrointestinal Disorders into the Clinic?, *Gastroenterology*, Volume 160, Issue 2, 2021, Pages 538-555.

Sagen, O.B. Treatment of functional disturbance in the intestine by administration of lactic acid bacteria. 1989. Internal report

Sandionigi, Anna, Alessandra De Giani, Francesco Tursi, Angela Michelotti, Enza Cestone, Silvana Giardina, Jessica Zampolli, and Patrizia Di Gennaro. "Effectiveness of Multistrain Probiotic Formulation on Common Infectious Disease Symptoms and Gut Microbiota Modulation in Flu-Vaccinated Healthy Elderly Subjects." *BioMed Research International* 2022 (2022).

Shin A, Preidis GA, Shulman R, Kashyap PC. The gut microbiome in adult and pediatric functional gastrointestinal disorders. *Clin. Gastroenterol. Hepatol.* 2019; 17: 256–74

Sidhu M, van der Poorten D. The gut microbiome. *Aust Fam Physician.* 2017;46(4):206-211. PMID: 28376573.

Sonnenburg ED, Sonnenburg JL. Starving Our Microbial Self: The Deleterious Consequences of a Diet Deficient in Microbiota-Accessible Carbohydrates. *Cell Metab* (2014) 20:779–86.

Steiner NC, Lorentz A. Probiotic Potential of *Lactobacillus* Species in Allergic Rhinitis. *Int Arch Allergy Immunol.* 2021;182(9):807-818.

Sun Q, Jia Q, Song L, et al. Alterations in fecal short-chain fatty acids in patients with irritable bowel syndrome: A systematic review and meta-analysis. *Medicine (Baltimore)* 2019.

Tamma PD, Avdic E, Li DX, Dzintars K, Cosgrove SE. Association of Adverse Events With Antibiotic Use in Hospitalized Patients. *JAMA Intern Med.* 2017 Sep 1;177(9):1308-1315.

Tandon D., Haque M.M., Gote M., Jain M., Bhaduri A., Dubey A.K., Mande S.S. A prospective randomized, double-blind, placebo-controlled, dose-response relationship study to investigate efficacy of fructo-oligosaccharides (FOS) on human gut microflora. *Sci. Rep.* 2019;9:5473

Tap J, Derrien M, Tornblom H, et al. Identification of an Intestinal Microbiota Signature Associated With Severity of Irritable Bowel Syndrome. *Gastroenterology* 2017;152:111–123

Tun MH, Tun HM, Mahoney JJ, Konya TB, Guttman DS, Becker AB, Mandhane PJ, Turvey SE, Subbarao P, Sears MR, Brook JR, Lou W, Takaro TK, Scott JA, Wang L, Alammari N, Singh R et al. Gut microbial dysbiosis in the irritable bowel syndrome: a systematic review and meta-analysis of case-control studies. *J. Acad. Nutr. Diet.* 2020; 120: 565–86. 19

Wei L, Singh R, Ro S, Ghoshal UC. Gut microbiota dysbiosis in functional gastrointestinal disorders: Underpinning the symptoms and pathophysiology. *JGH Open.* 2021 Mar 23;5(9):976-987.

Wen Y, Li J, Long Q, Yue CC, He B, Tang XG. The efficacy and safety of probiotics for patients with constipation-predominant irritable bowel syndrome: A systematic review and meta-analysis based on seventeen randomized controlled trials. *Int J Surg.* 2020 Jul;79:111-119

Zeng M, Inohara N, Nuñez G: Mechanisms of inflammation driven bacterial dysbiosis in the gut. *Mucosal Immunol* 2017, 10:18

Zhang J, Ma JY, Li QH, Su H, Sun X. *Lactobacillus rhamnosus* GG induced protective effect on allergic airway inflammation is associated with gut microbiota. *Cell Immunol.* 2018;332:77–84.

Zhang T, Zhang C, Zhang J, Sun F, Duan L. Efficacy of Probiotics for Irritable Bowel Syndrome: A Systematic Review and Network Meta-Analysis. *Front Cell Infect Microbiol*. 2022 Apr 1;12:859967.

### **Men's health feature:**

#### **Keri Briggs:**

Abed MA, Kloub MI, Moser DK. Anxiety and adverse health outcomes among cardiac patients: a biobehavioral model. *J Cardiovasc Nurs* 2014;29(4):354–63.

Bots SH, Peters SAE, Woodward M. Sex differences in coronary heart disease and stroke mortality: a global assessment of the effect of ageing between 1980 and 2010. *BMJ Glob Health*. 2017 Mar 27;2(2)

Botturi A, Ciappolino V, Delvecchio G, Boscutti A, Viscardi B, Brambilla P. The Role and the Effect of Magnesium in Mental Disorders: A Systematic Review. *Nutrients*. 2020 Jun 3;12(6):1661.

Bremner JD, Campanella C, Khan Z, Shah M, Hammadah M, Wilmot K, et al. Brain correlates of mental stress-induced myocardial ischemia. *Psychosom Med* 2018;80(6):515–25.

Fallah A, Mohammad-Hasani A, Colagar AH. Zinc is an Essential Element for Male Fertility: A Review of Zn Roles in Men's Health, Germination, Sperm Quality, and Fertilization. *J Reprod Infertil*. 2018 Apr-Jun;19(2):69-81.

Ghadian A, Rezaei M. Combination therapy with omega-3 fatty acids plus tamsulocin and finasteride in the treatment of men with lower urinary tract symptoms (LUTS) and benign prostatic hyperplasia (BPH). *Inflammopharmacology*. 2017 Aug;25(4):451-458. doi: 10.1007/s10787-017-0343-2. Epub 2017 Apr 8. PMID: 28391389.

Houston M. The role of magnesium in hypertension and cardiovascular disease. *J Clin Hypertens (Greenwich)*. 2011 Nov;13(11):843-7.

“Improving Access to Psychological Therapies (IAPT) Dataset,” NHS Digital, [Online]. Available: <https://digital.nhs.uk/data-and-information/publications/statistical/psychological-therapies-annual-reports-on-the-use-of-iapt-services/annual-report-2019-20>.

Intensive Care National Audit & Research Centre (ICNARC), “ICNARC report on COVID-19 in critical care: England, Wales and Northern Ireland,” 24 September 2021. [Online]. Available: <https://www.icnarc.org/Our-Audit/Audits/Cmp/Reports>.

Kessler A, Sollie S, Challacombe B, Briggs K, Van Hemelrijck M. The global prevalence of erectile dysfunction: a review. *BJU Int*. 2019 Oct;124(4):587-599.

Levelling up men's health: The case for a men's health strategy 2022.

[https://www.menshealthforum.org.uk/sites/default/files/pdf/mens\\_health\\_strategy-case\\_for\\_change-final\\_draft-formatted\\_bibliography.pdf](https://www.menshealthforum.org.uk/sites/default/files/pdf/mens_health_strategy-case_for_change-final_draft-formatted_bibliography.pdf)

Maas AH, Appelman YE. Gender differences in coronary heart disease. *Neth Heart J*. 2010 Dec;18(12):598-602. doi: 10.1007/s12471-010-0841-y. PMID: 21301622; PMCID: PMC3018605.

“NHS Health Check programme, Patients Recorded as Attending and Not Attending, 2012-13 to 2017-18,” NHS Digital, 17 October 2019. [Online]. Available: <https://digital.nhs.uk/data-and-information/publications/statistical/nhs-health-check-programme/2012-13-to-2017-18>. [Accessed 3 November 2021].

Office for National Statistics, National Records of Scotland and Northern Ireland Statistics and Research Agency, “Deaths involving COVID-19 by month of registration, UK,” 21 September 2021. [Online]. Available:

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/deathsinvolvingcovid19bymonthofregistrationuk>

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/bulletins/suicidesintheunitedkingdom/2021registrations>

<https://www.gov.uk/government/publications/health-matters-harmful-drinking-and-alcohol-dependence/health-matters-harmful-drinking-and-alcohol-dependence>

Oliffe JL, Rossnagel E, Kelly MT, Bottorff JL, Seaton C, Darroch F. Men's health literacy: a review and recommendations. *Health Promot Int.* 2020 Oct 1;35(5):1037-1051.

Palace VP, Khaper N, Qin Q, Singal PK. Antioxidant potentials of vitamin A and carotenoids and their relevance to heart disease. *Free Radic Biol Med.* 1999 Mar;26(5-6):746-61.

Prasad AS, Mantzoros CS, Beck FW, Hess JW, Brewer GJ. Zinc status and serum testosterone levels of healthy adults. *Nutrition.* 1996 May;12(5):344-8.

Serefko A, Szopa A, Poleszak E. Magnesium and depression. *Magnes Res.* 2016 Mar 1;29(3):112-119.

Towards a Healthier Britain. 2010

Wang. Y, Hunt. K, Nazareth I, Freemantle N and Petersen I, "Do men consult less than women? An analysis of routinely collected UK general practice data," *BMJ Open*, 2013.

Weidner G. Why do men get more heart disease than women? An international perspective. *J Am Coll Health.* 2000 May;48(6):291-4.

### **Catherine Gorman:**

<https://www.gov.uk/government/speeches/health-secretary-opens-first-mens-health-summit>

<https://researchbriefings.files.parliament.uk/documents/POST-PB-0056/POST-PB-0056.pdf>

<https://www.gov.uk/government/statistics/update-to-the-obesity-profile-on-fingertips/obesity-profile-short-statistical-commentary-may-2024>

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/bulletins/deathsregistrationssummarytables/2022>

<https://world-heart-federation.org/what-we-do/women-cvd/>

<https://pubmed.ncbi.nlm.nih.gov/29018060/>

<https://pubmed.ncbi.nlm.nih.gov/21307610/>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6043915/>

<https://pubmed.ncbi.nlm.nih.gov/27927636/>

<https://pubmed.ncbi.nlm.nih.gov/32193146/>

### **Cognitive health feature:**

#### **Keri Briggs:**

Adeva-Andany MM, Calvo-Castro I, Fernández-Fernández C, Donapetry-García C, Pedre-Piñeiro AM. Significance of l-carnitine for human health. *IUBMB Life.* 2017 Aug;69(8):578-594.

The American College of Rheumatology nomenclature and case definitions for neuropsychiatric lupus syndromes. *Arthritis Rheum.* 1999;42(4):599-608.

Benros ME, Sørensen HJ, Nielsen PR, Nordentoft M, Mortensen PB, Petersen L. The Association between Infections and General Cognitive Ability in Young Men - A Nationwide Study. *PLoS One.* 2015 May 13;10(5)



Biessels GJ, Staekenborg S, Brunner E, Brayne C, Scheltens P. Risk of dementia in diabetes mellitus: a systematic review. *Lancet Neurol.* 2006;5(1):64–74.

Boespflug E. L., McNamara R. K., Eliassen J. C., Schidler M. D., Krikorian R. Fish oil supplementation increases event-related posterior cingulate activation in older adults with subjective memory impairment. *The Journal of Nutrition, Health & Aging.* 2016;20(2):161–169.

Caffara P and Santamaria V. The effects of phosphatidylserine in patients with mild cognitive decline. An open trial. *Clin Trials J*, 24 (1987), pp. 109-114

Chang CY, Ke DS, Chen JY. Essential fatty acids and human brain. *Acta Neurol Taiwan.* 2009 Dec;18(4):231-41. PMID: 20329590

Chang M., Jonsson P. V., Snaedal J., et al. The effect of midlife physical activity on cognitive function among older adults: AGES—Reykjavik Study. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences.* 2010;65(12):1369–1374.

Chen PL, Lee WJ, Sun WZ, Oyang YJ, Fuh JL: Risk of dementia in patients with insomnia and long-term use of hypnotics: a population-based retrospective cohort study. *PLoS One* 2012;7:e49113.

Cherbuin N, Sachdev P, Anstey KJ. Higher normal fasting plasma glucose is associated with hippocampal atrophy: The PATH Study. *Neurology.* 2012;79(10):1019–26.

Choudhary D, Bhattacharyya S, Bose S. Efficacy and Safety of Ashwagandha (*Withania somnifera* (L.) Dunal) Root Extract in Improving Memory and Cognitive Functions. *J Diet Suppl.* 2017;14:599–612.

Colcombe S. J., Erickson K. I., Raz N., et al. Aerobic fitness reduces brain tissue loss in aging humans. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences.* 2003;58(2):176–180.

Colovic MB, Krstic DZ, Lazarevic-Pasti TD, Bondzic AM, Vasic VM. Acetylcholinesterase inhibitors: pharmacology and toxicology. *Curr Neuropharmacol.* 2013;11(3):315–335.

Conklin S. M., Gianaros P. J., Brown S. M., et al. Long-chain omega-3 fatty acid intake is associated positively with corticolimbic gray matter volume in healthy adults. *Neuroscience Letters.* 2007;421(3):209–212.

Crichton, Georgina E., Merrill F. Elias, Adam Davey, Kevin J. Sullivan, and Michael A. Robbins. 2014. Higher HDL Cholesterol Is Associated with Better Cognitive Function: the Maine-Syracuse Study. *Journal of the International Neuropsychological Society* 20:961–70.

Crowe M., Andel R., Pedersen N. L., Johansson B., Gatz M. Does participation in leisure activities lead to reduced risk of Alzheimer's disease? A prospective study of Swedish twins. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences.* 2003;58(5):249–255.

Deckers K, Schievink SHJ, Rodriguez MMF, van Oostenbrugge RJ, van Boxtel MPJ, Verhey FRJ, Kohler S. Coronary heart disease and risk for cognitive impairment or dementia: systematic review and meta-analysis. **PLoS One.** 2017; 12:e0184244.

Dik MG, Jonker C, Comijs HC, Deeg DJ, Kok A, Yaffe K, et al. Contribution of metabolic syndrome components to cognition in older individuals. *Diabetes Care.* 2007;30(10):2655–60.

Dyall SC. Long-chain omega-3 fatty acids and the brain: a review of the independent and shared effects of EPA, DPA and DHA. *Front Aging Neurosci.* 2015;7:52. 2015; Apr 21.

El-Hattab AW, Zarante AM, Almannai M, Scaglia F. Therapies for mitochondrial diseases and current clinical trials. *Mol Genet Metab.* 2017 Nov;122(3):1-9

El Khoudary SR, Greendale G, Crawford SL, Avis NE, Brooks MM, Thurston RC, Karvonen-Gutierrez C, Waetjen LE, Matthews K. The menopause transition and women's health at midlife: a progress report from the Study of Women's Health Across the Nation (SWAN) Menopause. 2019;26:1213–1227.

Erickson K. I., Prakash R. S., Voss M. W., et al. Aerobic fitness is associated with hippocampal volume in elderly humans. *Hippocampus.* 2009;19(10):1030–1039.

Ernst E. The Risk-benefit Profile of Commonly Used Herbal Therapies: *Ginkgo*, St. John's Wort, Ginseng, Echinacea, Saw Palmetto, and Kava. *Ann Intern Med.* 2002;136:42–53.

Fernández-Portero C, Amián JG, de la Bella R, López-Lluch G, Alarcón D. Coenzyme Q10 levels associated to cognitive functioning and executive function in older adults. *J Gerontol A Biol Sci Med Sci.* 2022 Jul 31:glac152.

Ferreira A, Proença C, Serralheiro ML, Araújo ME. The in vitro screening for acetylcholinesterase inhibition and antioxidant activity of medicinal plants from Portugal. *J Ethnopharmacol.* 2006 Nov 3;108(1):31-7.

Ferris L. T., Williams J. S., Shen C. L. The effect of acute exercise on serum brain-derived neurotrophic factor levels and cognitive function. *Medicine and Science in Sports and Exercise.* 2007;39(4):728–734.

García-Carpintero S, Domínguez-Bértalo J, Pedrero-Prieto C, Frontiñán-Rubio J, Amo-Salas M, Durán-Prado M, García-Pérez E, Vaamonde J, Alcain FJ. Ubiquinol Supplementation Improves Gender-Dependent Cerebral Vasoreactivity and Ameliorates Chronic Inflammation and Endothelial Dysfunction in Patients with Mild Cognitive Impairment. *Antioxidants (Basel).* 2021 Jan 20;10(2):143.

Giurgea, C & Salama, M. Nootropic drugs *Prog in Neuro-Psychopharmacology*, 1977; 1 3–4, (235-247)

Glade, M.J; Smith, K. Phosphatidylserine and the human brain. *Nutrition*, 2015; (31) 6- 781-786)

Graham EL, Clark JR, Orban ZS, Lim PH, Szymanski AL, Taylor C, DiBiase RM, Jia DT, Balabanov R, Ho SU, Batra A, Liotta EM, Koralnik IJ. Persistent neurologic symptoms and cognitive dysfunction in non-hospitalized Covid-19 "long haulers". *Ann Clin Transl Neurol.* 2021 May;8(5):1073-1085. doi: 10.1002/acn3.51350. Epub 2021 Mar 30. PMID: 33755344; PMCID: PMC8108421.

Gutierrez-Mariscal F.M., Yubero-Serrano E.M., Villalba J.M., Lopez-Miranda J. Coenzyme Q10: From bench to clinic in aging diseases, a translational review. *Crit. Rev. Food Sci. Nutr.* 2018

Haumann BR. Alternative sources for n-3 fatty acids. *Inform* 1998; 9: 1108]19

Hosking DE, et al., MIND not Mediterranean diet related to 12-year incidence of cognitive impairment in an Australian longitudinal cohort study. *Alzheimers Dement*, 2019. 15(4): p. 581–589.

Imanshahidi M, Hosseinzadeh H (2006) The pharmacological effects of salvia species on the central nervous system. *Phytother Res*20:427–437

Johnson E.J. A Possible Role for Lutein and Zeaxanthin in Cognitive Function in the Elderly. *Am. J. Clin. Nutr.* 2012;96:1161S–1165S.

Jongkees BJ, Hommel B, Kühn S, Colzato LS. Effect of tyrosine supplementation on clinical and healthy populations under stress or cognitive demands--A review. *J Psychiatr Res.* 2015 Nov;70:50-7.

Kello N, Anderson E, Diamond B. Cognitive dysfunction in systemic lupus erythematosus: a case for initiating trials. *Arthritis Rheumatol*. 2019;71(9):1413–1425. doi: 10.1002/art.40933.

Kennedy DO. B Vitamins and the Brain: Mechanisms, Dose and Efficacy--A Review. *Nutrients*. 2016;8(2):68. Published 2016 Jan 27. doi:10.3390/nu8020068

Khandaker GM, Jones PB. Cognitive and functional impairment after severe sepsis. *JAMA*. 2011; 305: 673–674.

Kilpi F, Soares ALG, Fraser A, Nelson SM, Sattar N, Fallon SJ, Tilling K, Lawlor DA. Changes in six domains of cognitive function with reproductive and chronological ageing and sex hormones: a longitudinal study in 2411 UK mid-life women. *BMC Womens Health*. 2020;20:177.

Kohn M. L., Schooler C. The reciprocal effects of the substantive complexity of work and intellectual flexibility: a longitudinal assessment. *American Journal of Sociology*. 1978;84:24–52. doi: 10.1086/226739.

Kuboyama T et al., Neuritic regeneration and synaptic reconstruction induced by withanolide A. *Br J Pharmacol*. 2005;144(7):961-971. doi:10.1038/sj.bjp.0706122

Kure CE, Rosenfeldt FL, Scholey AB, et al. Relationships among cognitive function and cerebral blood flow, oxidative stress, and inflammation in older heart failure patients  
. *J Card Fail*. 2016;22:548–559.

Letenneur L, Proust-Lima C, Le Gouge A, Dartigues JF, Barberger-Gateau P. Flavonoid intake and cognitive decline over a 10-year period. *Am J Epidemiol*. 2007;165:1364–1371.

Li J, Abdel-Aal EM. Dietary Lutein and Cognitive Function in Adults: A Meta-Analysis of Randomized Controlled Trials. *Molecules*. 2021 Sep 24;26(19):5794.

Lim AS, Kowgier M, Yu L, Buchman AS, Bennett DA: Sleep fragmentation and the risk of incident Alzheimer's disease and cognitive decline in older persons. *Sleep* 2013;36:1027-1032.

Liu X, Morris MC, Dhana K, Ventrelle J, Johnson K, Bishop L, Hollings CS, Boulin A, Laranjo N, Stubbs BJ, Reilly X, Carey VJ, Wang Y, Furtado JD, Marcovina SM, Tangney C, Aggarwal NT, Arfanakis K, Sacks FM, Barnes LL. Mediterranean-DASH Intervention for Neurodegenerative Delay (MIND) study: Rationale, design and baseline characteristics of a randomized control trial of the MIND diet on cognitive decline. *Contemp Clin Trials*. 2021 Mar;102:106270.

Ma, C., Yin, Z., Zhu, P. *et al*. Blood cholesterol in late-life and cognitive decline: a longitudinal study of the Chinese elderly. *Mol Neurodegeneration* 12, 24 (2017).

Margetts G, Kleidonas S, Zaibi NS, Zaibi MS, Edwards KD. Evidence for anti-inflammatory effects and modulation of neurotransmitter metabolism by *Salvia officinalis* L. *BMC Complement Med Ther*. 2022 May 12;22(1):131.

Meade T, Manolios N, Cumming SR, Conaghan PG, Katz P. Cognitive Impairment in Rheumatoid Arthritis: A Systematic Review. *Arthritis Care Res (Hoboken)*. 2018 Jan;70(1):39-52. doi: 10.1002/acr.23243. PMID: 28371512.

Miller LS, Stephen M, Meghan B, Woodard JL, Davey A, Martin P, Poon LW, Jazwinski SM, Green RC, Gearing M et al. Cognitive performance in centenarians and the oldest old: norms from the Georgia Centenarian Study. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn*. 2010; 17: 575–90.

Miranda M, Morici JF, Zanoni MB, Bekinschtein P. Brain-Derived Neurotrophic Factor: A Key Molecule for Memory in the Healthy and the Pathological Brain. *Front Cell Neurosci*. 2019 Aug 7;13:363.

Morris MC, et al., Associations of vegetable and fruit consumption with age-related cognitive change. *Neurology*, 2006. 67(8): p. 1370–6.

Morris MC, et al., MIND diet score more predictive than DASH or Mediterranean diet scores Alzheimer's & Dementia: The Journal of the Alzheimer's Association, 2014. 10(4): p. P166

Mortamais M., Portet F., Brickman A. M., et al. Education modulates the impact of white matter lesions on the risk of mild cognitive impairment and dementia. *The American Journal of Geriatric Psychiatry*. 2014;22(11):1336–1345.

Ng QX, Loke W, Foo NX, Tan WJ, Chan HW, Lim DY, et al. A Systematic Review of the Clinical Use of *Withania somnifera* (Ashwagandha) to Ameliorate Cognitive Dysfunction. *Phytother Res*. 2020;34:583–590.

Ngandu T., von Strauss E., Helkala E. L., et al. Education and dementia: what lies behind the association? *Neurology*. 2007;69(14):1442–1450.

Oken BS, Storzbach DM, Kaye JA. The Efficacy of *Ginkgo biloba* on Cognitive Function in Alzheimer Disease. *Arch Neurol*. 1998;55:1409–15.

Oláh C, Schwartz N, Denton C, Kardos Z, Putterman C, Szekanecz Z. Cognitive dysfunction in autoimmune rheumatic diseases. *Arthritis Res Ther*. 2020 Apr 15;22(1):78.

Pengelly A, Snow J, Mills SY, Scholey A, Wesnes K, Butler LR. Short-term Study on the Effects of Rosemary on Cognitive Function in an Elderly Population. *J Med Food*. 2012;15:10–7.

Penn H, Howie AJ, Kingdon EJ, Bunn CC, Stratton RJ, Black CM, Burns A, Denton CP. Scleroderma renal crisis: patient characteristics and long-term outcomes. *QJM*. 2007;100(8):485–494. doi: 10.1093/qjmed/hcm052.

Pennisi M, Lanza G, Cantone M, D'Amico E, Fisicaro F, Puglisi V, Vinciguerra L, Bella R, Vicari E, Malaguarnera G. Acetyl-L-Carnitine in Dementia and Other Cognitive Disorders: A Critical Update. *Nutrients*. 2020 May 12;12(5):1389.

Petersen RC, Lopez O, Armstrong MJ, et al.. Practice guideline update summary: mild cognitive impairment: report of the guideline development, dissemination, and implementation subcommittee of the American Academy of Neurology. *Neurology*. 2018;90(3):126–135. [Crossref](#). [PubMed](#).

Phillips C. Lifestyle Modulators of Neuroplasticity: How Physical Activity, Mental Engagement, and Diet Promote Cognitive Health during Aging. *Neural Plast*. 2017;2017:3589271.

Przybylak M, Grabowski J, Bidzan L. Cognitive functions and thyroid hormones secretion disorders. *Psychiatr Pol*. 2021 Apr 30;55(2):309-321. English, Polish. doi: 10.12740/PP/112470. Epub 2021 Apr 30. PMID: 34365481.

Rondanelli, Mariangela & Opizzi, Annalisa & Faliva, Milena & Mozzoni, Marco & Perna, Simone & Cazzola, Roberta & Savarè, Rita & Grossi, Enzo & Benvenuto, Cestaro. (2011). Mild cognitive impairment in elderly and supplementation with omega 3 fatty acids, melatonin and tryptophan: A review. *Agro Food Industry Hi-Tech*. 22. 23-24.

Sarker MR, Franks SF. Efficacy of curcumin for age-associated cognitive decline: a narrative review of preclinical and clinical studies. *Geroscience*. 2018 Apr;40(2):73-95.

Schreiber S, Kampf-Sherf O, Gorfine M, Kelly D, Oppenheim Y, Lerer B. An open trial of plant-source derived phosphatidylserine for treatment of age-related cognitive decline. *Isr J Psychiatry Relat Sci*, 37 (2000), pp. 302-307

Shinohara M, Yamada M. [Drug-induced Cognitive Impairment]. *Brain Nerve*. 2016 Apr;68(4):421-8. Japanese. doi: 10.11477/mf.1416200415. PMID: 27056860.

Sierpina VS, Wollschlaeger B, Blumenthal M. Ginkgo biloba. *Am Fam Physician*. 2003;68:923–6.

Skvarc DR, Dean OM, Byrne LK, Gray L, Lane S, Lewis M, Fernandes BS, Berk M, Marriott A. The effect of N-acetylcysteine (NAC) on human cognition - A systematic review. *Neurosci Biobehav Rev*. 2017 Jul;78:44-56.

Smith AD, Smith SM, de Jager CA, Whitbread P, Johnston C, Agacinski G, Oulhaj A, Bradley KM, Jacoby R, Refsum H. Homocysteine-lowering by B vitamins slows the rate of accelerated brain atrophy in mild cognitive impairment: a randomized controlled trial. *PLoS One*. 2010 Sep 8;5(9):e12244.

Smith AD, Refsum H. Homocysteine, B Vitamins, and Cognitive Impairment. *Annu Rev Nutr*. 2016 Jul 17;36:211-39.

Smith G, Petersen RC, Parisi JE, et al. Definition, course, and outcome of mild cognitive impairment. *Aging Neuropsychol Cognit*. 1996;3:131–47.

Smith P. J., Blumenthal J. A., Hoffman B. M., et al. Aerobic exercise and neurocognitive performance: a meta-analytic review of randomized controlled trials. *Psychosomatic Medicine*. 2010;72(3):239–252.

Stough Con et al. CoQ10 and Cognition a Review and Study Protocol for a 90-Day Randomized Controlled Trial Investigating the Cognitive Effects of Ubiquinol in the Healthy Elderly. *Frontiers in Aging Neuroscience* 11;2019

Sullivan Mitchell E, Fugate Woods N. Midlife women's attributions about perceived memory changes: observations from the Seattle Midlife Women's Health Study. *J Womens Health Gend Based Med*. 2001;10:351–362.

Tangney CC, et al., Adherence to a Mediterranean-type dietary pattern and cognitive decline in a community population. *Am J Clin Nutr*, 2011. 93(3): p. 601–7.

Tangney C, et al., Accordance to Dietary Approaches to Stop Hypertension (DASH) is associated with slower cognitive decline. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 2013. 9(4): p. P135.

Tayebati SK, Amenta F. Choline-containing phospholipids: relevance to brain functional pathways. *Clin Chem Lab Med*. 2013 Mar 1;51(3):513-21.

Thomas P, Bhatia T, Gauba D, Wood J, Long C, Prasad K et al. Exposure to herpes simplex virus, type 1 and reduced cognitive function. *J Psychiatr Res*. 2013; 47: 1680–1685.

Tranah GJ, Blackwell T, Stone KL, Ancoli-Israel S, Paudel ML, Ensrud KE, Cauley JA, Redline S, Hillier TA, Cummings SR, Yaffe K; SOF Research Group: Circadian activity rhythms and risk of incident dementia and mild cognitive impairment in older women. *Ann Neurol* 2011;70:722-732.

Valls-Pedret C, Sala-Vila A, Serra-Mir M, Corella D, de la Torre R, Martínez-González MÁ, Martínez-Lapiscina EH, Fitó M, Pérez-Heras A, Salas-Salvadó J, Estruch R, Ros E. Mediterranean Diet and Age-Related Cognitive Decline: A Randomized Clinical Trial. *JAMA Intern Med*. 2015 Jul;175(7):1094-1103. doi: 10.1001/jamainternmed.2015.1668. Erratum in: *JAMA Intern Med*. 2018 Dec 1;178(12):1731-1732. PMID: 25961184.

---

van Soest APM, van de Rest O, Witkamp RF, Cederholm T, de Groot LCPGM. DHA status influences effects of B-vitamin supplementation on cognitive ageing: a post-hoc analysis of the B-proof trial. *Eur J Nutr*. 2022 Oct;61(7):3731-3739.

Vergheze J., Lipton R. B., Katz M. J., et al. Leisure activities and the risk of dementia in the elderly. *The New England Journal of Medicine*. 2003;348(25):2508–2516.

Wolf PA. Contributions of the Framingham Heart Study to stroke and dementia epidemiologic research at 60 years. **Arch Neurol**. 2012; 69:567–571.

Yarrow J. F., White L. J., McCoy S. C., Borst S. E. Training augments resistance exercise induced elevation of circulating brain derived neurotrophic factor (BDNF) *Neuroscience Letters*. 2010;479(2):161–165.

Zilliox LA, Chadrasekaran K, Kwan JY, Russell JW. Diabetes and Cognitive Impairment. *Curr Diab Rep*. 2016 Sep;16(9):87.

### **Matthew Hudson:**

1. CKS is only available in the UK | NICE. <https://www.nice.org.uk/cks-uk-only>. Accessed: 09/04/2025
2. McDonald, W. M. Overview of Neurocognitive Disorders. <https://doi.org/10.1176/appi.focus.20160030> **15**, 4–12 (2017).
3. EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA) 2. doi:10.2903/j.efsa.2009.1229.
4. Bhatnagar, S. & Taneja, S. Zinc and cognitive development. *Br J Nutr* **85 Suppl 2**, S139–S145 (2001).
5. Chiplonkar, S. A. & Tupe, R. P. Zinc supplementation improved cognitive performance and taste acuity in Indian adolescent girls. *J Am Coll Nutr* **28**, 388–396 (2009).
6. De Moura, J. E. *et al.* Oral zinc supplementation may improve cognitive function in schoolchildren. *Biol Trace Elem Res* **155**, 23–28 (2013).
7. Lönnerdal, B. Dietary factors influencing zinc absorption. *J Nutr* **130**, (2000).
8. Sarubbo, F., Moranta, D. & Pani, G. Dietary polyphenols and neurogenesis: Molecular interactions and implication for brain ageing and cognition. *Neurosci Biobehav Rev* **90**, 456–470 (2018).
9. Lefèvre-Arbogast, S. *et al.* Pattern of polyphenol intake and the long-term risk of dementia in older persons. *Neurology* **90**, e1979–e1988 (2018).
10. Petersson, S. D. & Philippou, E. Mediterranean Diet, Cognitive Function, and Dementia: A Systematic Review of the Evidence. *Adv Nutr* **7**, 889–904 (2016).
11. Cholerton, B., Baker, L. D. & Craft, S. Insulin, cognition, and dementia. *Eur J Pharmacol* **719**, 170–179 (2013).
12. Vetrani, C., Verde, L., Colao, A., Barrea, L. & Muscogiuri, G. The Mediterranean Diet: Effects on Insulin Resistance and Secretion in Individuals with Overweight or Obesity. *Nutrients* **15**, (2023).
13. Gareau, M. G. Microbiota-gut-brain axis and cognitive function. *Adv Exp Med Biol* **817**, 357–371 (2014).
14. Leblhuber, F., Egger, M., Schuetz, B. & Fuchs, D. Commentary: Effect of Probiotic Supplementation on Cognitive Function and Metabolic Status in Alzheimer's Disease: A Randomized, Double-Blind and Controlled Trial. *Front Aging Neurosci* **10**, (2018).
15. Akbari, E. *et al.* Effect of Probiotic Supplementation on Cognitive Function and Metabolic Status in Alzheimer's Disease: A Randomized, Double-Blind and Controlled Trial. *Front Aging Neurosci* **8**, (2016).

### **Sophie Barrett:**

Alzheimer's Disease International. (2020). *World Alzheimer Report 2020: Design, dignity, dementia*. Retrieved from <https://www.alzint.org/about/dementia-facts-figures/dementia-statistics/>

Cleveland Clinic. (n.d.). *Brain fog: Symptoms, causes, treatment & recovery*. Retrieved from <https://my.clevelandclinic.org/health/symptoms/22954-brain-fog>

Institute of Medicine (US) Committee on Nutrition and the Brain. (2015). *Nutrition and cognitive health: The role of B vitamins. Neurobiology of Aging*, 36(Supplement 1), S41–S50. <https://doi.org/10.1016/j.neurobiolaging.2014.12.018>

Mayo Clinic. (n.d.). *Mild cognitive impairment (MCI): Symptoms and causes*. Retrieved from <https://www.mayoclinic.org/diseases-conditions/mild-cognitive-impairment/symptoms-causes/syc-20354578>

National Institute on Aging. (n.d.). *Cognitive health and older adults*. U.S. Department of Health and Human Services. Retrieved from <https://www.nia.nih.gov/health/brain-health/cognitive-health-and-older-adults>

Ochoa-Repáraz, J., & Kasper, L. H. (2020). *The microbiome and the gut–brain axis in neurological disease. Nature Reviews Neurology*, 16(11), 605–615. <https://doi.org/10.1038/s41582-020-0387-5>

Pistollato, F., Iglesias, R. C., Ruiz, R., Aparicio, S., Crespo, J., López, L. D., ... & Giampieri, F. (2015). *Nutritional patterns and neurodegenerative diseases. Journal of Nutritional Biochemistry*, 26(9), 929–937. <https://doi.org/10.1016/j.jnutbio.2015.05.016>

Ramos-Romero, S., Molinar-Toribio, E., Gomez de Cedrón, M., & Martínez de Victoria, E. (2022). *Dietary patterns and their impact on cognitive function: A review of current evidence. Frontiers in Nutrition*, 9, 850226. <https://doi.org/10.3389/fnut.2022.850226>

Saitsu, H., et al. (2019). *Effects of Hericium erinaceus (Lion's Mane) on nerve regeneration and neuroprotection. International Journal of Medicinal Mushrooms*, 21(6), 567–577. <https://doi.org/10.1615/IntJMedMushrooms.2019029683>

Selkoe, D. J. (2011). *Alzheimer's disease is a synaptic failure. Science*, 298(5594), 789–791. <https://doi.org/10.1126/science.1074069>

Seneff, S., Wainwright, G., & Mascitelli, L. (2011). *Nutrition and Alzheimer's disease: The detrimental role of a high-carbohydrate diet. European Journal of Internal Medicine*, 22(2), 134–140. <https://doi.org/10.1016/j.ejim.2010.12.017>

Zhang, H., & Liu, Y. (2021). *Magnesium and cognitive function: A systematic review. Nutrients*, 13(3), 1002. <https://doi.org/10.3390/nu13031002>

### **Catherine Gorman:**

[https://www.thelancet.com/article/S0140-6736\(20\)30367-6/fulltext](https://www.thelancet.com/article/S0140-6736(20)30367-6/fulltext)  
<http://orca.cf.ac.uk/100175/1/Treatments%20in%20Alzheimers.pdf>  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4221920/>  
[http://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(15\)60461-5/fulltext](http://www.thelancet.com/journals/lancet/article/PIIS0140-6736(15)60461-5/fulltext)  
<https://alzres.biomedcentral.com/articles/10.1186/s13195-020-00661-y>  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3705810/>  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7199507/>  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3705810/>  
<https://pubmed.ncbi.nlm.nih.gov/19523795/>  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2781139/>  
<https://www.frontiersin.org/articles/10.3389/fnagi.2020.00103/full>  
<http://jamanetwork.com/journals/jama/fullarticle/194636>

### **Ella Kaur:**

<sup>1</sup> <https://pmc.ncbi.nlm.nih.gov/articles/PMC10720396/>

## Liver health:

### Keri Briggs:

Abdelmalek MF. Nonalcoholic fatty liver disease: another leap forward. *Nat Rev Gastroenterol Hepatol*. 2021 Feb;18(2):85-86.

Aigner E, Theurl I, Haufe H, et al. Copper availability contributes to iron perturbations in human nonalcoholic fatty liver disease. *Gastroenterology*. 2008;135(2):680-688.

Ajmera V, Belt P, Wilson LA, et al. Among patients with nonalcoholic fatty liver disease, modest alcohol use is associated with less improvement in histologic steatosis and steatohepatitis. *Clin Gastroenterol Hepatol*. 2018;16(9):1511-1520.e1515.

Al-Qattan K.K., Khan I., Alnaqeeb M.A., Ali M. Thromboxane-B2, prostaglandin-E2 and hypertension in the rat 2-kidney 1-clip model: a possible mechanism of the garlic induced hypotension. *Prostag. Leukotr. Ess.*, 64 (1) (2001), pp. 5-

Al-Qattan K.K., Thomson M., Al-Mutawa'a S., Al-Hajeri D., Drobiova H., Ali M. Nitric oxide mediates the blood-pressure lowering effect of garlic in the rat two-kidney, one-clip model of hypertension. *J. Nutr.*, 136 (3s) (2006), pp. 774s-

Anania C, Perla FM, Olivero F, Pacifico L, Chiesa C. Mediterranean diet and nonalcoholic fatty liver disease. *World J Gastroenterol*. 2018 May 21;24(19):2083-2094.

Asdaq S.M., Inamdarb M.N. Potential of *garlic* and its active constituent, S-allyl cysteine, as antihypertensive and cardioprotective in presence of captopril *Phytomedicine.*, 17 (13) (2010), pp. 1016-1026

Baratta F, Pastori D, Polimeni L, Bucci T, Ceci F, Calabrese C, Ernesti I, Pannitteri G, Violi F, Angelico F, et al. Adherence to Mediterranean Diet and Non-Alcoholic Fatty Liver Disease: Effect on Insulin Resistance. *Am J Gastroenterol*. 2017;**112**:1832–1839.

Buchman AL. Complications of long-term home total parenteral nutrition: their identification, prevention and treatment. *Dig Dis Sci*. 2001;46:1–18.

Burton R, Henn C, Lavoie D, et al. Public Health England (2016). The Public Health Burden of Alcohol and the Effectiveness and Cost-Effectiveness of Alcohol Control Policies: An Evidence Review.

Chang Y, Cho YK, Kim Y, et al. Nonheavy drinking and worsening of noninvasive fibrosis markers in nonalcoholic fatty liver disease: a cohort study. *Hepatology (Baltimore, MD)*. 2019;69(1):64-75.

Corbin KD, Zeisel SH. Choline metabolism provides novel insights into nonalcoholic fatty liver disease and its progression. *Curr Opin Gastroenterol*. 2012 Mar;28(2):159-65.

da Costa KA, Kozyreva OG, Song J, et al. Common genetic polymorphisms affect the human requirement for the nutrient choline. *Faseb J*. 2006;20:1336–1344.

Cuthbertson Daniel J, Shojaee-Moradie F, Sprung Victoria S, et al. Dissociation between exercise-induced reduction in liver fat and changes in hepatic and peripheral glucose homeostasis in obese patients with non-alcoholic fatty liver disease. *Clin Sci*. 2015;130(2):93-104.

Federico A, Dallio M, Loguercio C. Silymarin/Silybin and Chronic Liver Disease: A Marriage of Many Years. *Molecules*. 2017 Jan 24;22(2):191.

Fernando DH, Forbes JM, Angus PW, Herath CB. Development and Progression of Non-Alcoholic Fatty Liver Disease: The Role of Advanced Glycation End Products. *Int J Mol Sci*. 2019 Oct 11;20(20):5037.



Franco I, Bianco A, Mirizzi A, et al. Physical activity and low glycemic index mediterranean diet: main and modification effects on NAFLD score. Results from a randomized clinical trial. *Nutrients*. 2020;13(1).

Gebhardt, R. (2002). Inhibition of cholesterol biosynthesis in HepG2 cells by artichoke extracts is reinforced by glucosidase pretreatment. *Phytother Res*. 16:368–72.

Kamal-Eldin A, Moazzami A. Plant sterols and stanols as cholesterol-lowering ingredients in functional foods. *Recent Pat Food Nutr Agric*. 2009 Jan;1(1):1-14.

Kesse-Guyot E, Ahluwalia N, Lassale C, Hercberg S, Fezeu L, Lairon D. Adherence to Mediterranean diet reduces the risk of metabolic syndrome: a 6-year prospective study. *Nutr Metab Cardiovasc Dis*. 2013;23:677–683

Kohlmeier M, da Costa KA, Fischer LM, et al. Genetic variation of folate-mediated one-carbon transfer pathway predicts susceptibility to choline deficiency in humans. *Proc Natl Acad Sci U S A*. 2005;102:16025–16030

de Leiris J, de Lorgeril M, Boucher F. Fish oil and heart health. *J Cardiovasc Pharmacol*. 2009 Nov;54(5):378-384.

Liu F, Wang X, Wu G, et al. Coffee consumption decreases risks for hepatic fibrosis and cirrhosis: a meta-analysis. *PLoS ONE*. 2015;10(11):e0142457.

Li S, Duan F, Li S, Lu B. Administration of silymarin in NAFLD/NASH: A systematic review and meta-analysis. *Ann Hepatol*. 2024 Mar-Apr;29(2):101174. doi: 10.1016/j.aohep.2023.101174. Epub 2023 Oct 29. PMID: 38579127.

Lu L, Chen C, Li Y, Guo W, Zhang S, Brockman J, Shikany JM, Kahe K. Magnesium intake is inversely associated with risk of non-alcoholic fatty liver disease among American adults. *Eur J Nutr*. 2022 Apr;61(3):1245-1254. doi: 10.1007/s00394-021-02732-8. Epub 2021 Nov 6. PMID: 34741649.

Malhotra P, Gill RK, Saksena S, Alrefai WA. Disturbances in Cholesterol Homeostasis and Non-alcoholic Fatty Liver Diseases. *Front Med (Lausanne)*. 2020 Sep 2;7:467.

Mathew BC, Prasad NV and Prabodh R, Cholesterol-lowering effect of organosulphur compounds from garlic: a possible mechanism of action. *Kathmandu Univ Med J* 2: 100–102 (2004).c

McDonald D, Hyde E, Debelius JW, Morton JT, Gonzalez A, Ackermann G, Aksenov AA, Behsaz B, Brennan C, Chen Y, DeRight Goldasich L, Dorrestein PC, Dunn RR, Fahimipour AK, Gaffney J, Gilbert JA, Gogul G, Green JL, Hugenholtz P, Humphrey G, Huttenhower C, Jackson MA, Janssen S, Jeste DV, Jiang L, Kelley ST, Knights D, Kosciulek T, Ladau J, Leach J, Marotz C, Meleshko D, Melnik AV, Metcalf JL, Mohimani H, Montassier E, Navas-Molina J, Nguyen TT, Peddada S, Pevzner P, Pollard KS, Rahnavard G, Robbins-Pianka A, Sangwan N, Shorenstein J, Smarr L, Song SJ, Spector T, Swafford AD, Thackray VG, Thompson LR, Tripathi A, Vázquez-Baeza Y, Vrbanc A, Wischmeyer P, Wolfe E, Zhu Q; American Gut Consortium; Knight R. American Gut: an Open Platform for Citizen Science Microbiome Research. *mSystems*. 2018 May 15;3(3)

Mehedint MG, Zeisel SH. Choline's role in maintaining liver function: new evidence for epigenetic mechanisms. *Curr Opin Clin Nutr Metab Care*. 2013 May;16(3):339-45

Meslier V, Laiola M, Roager HM, De Filippis F, Roume H, Quinquis B, Giacco R, Mennella I, Ferracane R, Pons N, Pasolli E, Rivellese A, Dragsted LO, Vitaglione P, Ehrlich SD, Ercolini D. Mediterranean diet intervention in overweight and obese subjects lowers plasma cholesterol and causes changes in the gut microbiome and metabolome independently of energy intake. *Gut*. 2020 Jul;69(7):1258-1268.

Orekhov AN and Tertov VV, *In vitro* effect of garlic powder extract on lipid content in normal and atherosclerotic human aortic cells. *Lipids* 32: 1055–1060 (1997).

Panahi Y, Kianpour P, Mohtashami R, Atkin SL, Butler AE, Jafari R, Badeli R, Sahebkar A. Efficacy of artichoke leaf extract in non-alcoholic fatty liver disease: A pilot double-blind randomized controlled trial. *Phytother Res*. 2018 Jul;32(7):1382-1387. doi: 10.1002/ptr.6073. Epub 2018 Mar 9. PMID: 29520889.

Pickett-Blakely O, Young K, Carr RM. Micronutrients in nonalcoholic fatty liver disease pathogenesis. *Cell Mol Gastroenterol Hepatol*. 2018;6(4):451-462.

Pierantonelli I, Svegliati-Baroni G. Nonalcoholic Fatty Liver Disease: Basic Pathogenetic Mechanisms in the Progression From NAFLD to NASH. *Transplantation*. 2019 Jan;103(1):e1-e13.

Qiang, Z., Lee, S.O., Ye, Z., Wu, X. and Hendrich, S. (2012). Artichoke extract lowered plasma cholesterol and increased fecal bile acids in Golden Syrian hamsters. *Phytother Res*. 26:1048–52.

Safaa, M., Hanaa, A., Abdel, F., Nahila A and Abdelaaty S. (2013). *Cynara scolymus* for relieving on nonalcoholic steatohepatitis induced in rat. *Int. J. Pharm Pharmac Sci*. 5:57–66.

Sahebkar A, Pirro M, Banach M, Mikhailidis DP, Atkin SL, Cicero AFG. Lipid-lowering activity of artichoke extracts: A systematic review and meta-analysis. *Crit Rev Food Sci Nutr*. 2018;58(15):2549-2556.

Schuttern et al. 2018. *Magnesium and blood pressure: A physiology-based approach. Advances in Chronic Kidney Disease*. 25;3 :244-250.

Semmler G, Datz C, Reiberger T, Trauner M. Diet and exercise in NAFLD/NASH: Beyond the obvious. *Liver Int*. 2021 Oct;41(10):2249-2268.

Shojaee-Moradie F, Cuthbertson DJ, Barrett M, et al. Exercise training reduces liver fat and increases rates of VLDL clearance but not VLDL production in NAFLD. *J Clin Endocrinol Metab*. 2016;101(11):4219-4228.

Veronese N, Dominguez LJ, Pizzol D, Demurtas J, Smith L, Barbagallo M. Oral Magnesium Supplementation for Treating Glucose Metabolism Parameters in People with or at Risk of Diabetes: A Systematic Review and Meta-Analysis of Double-Blind Randomized Controlled Trials. *Nutrients*. 2021 Nov 15;13(11):4074. doi: 10.3390/nu13114074. PMID: 34836329; PMCID: PMC8619199.

Wang X, Wu W, Zheng W, et al. Zinc supplementation improves glycemic control for diabetes prevention and management: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr*. 2019;110(1):76-90.

Wijarnpreecha K, Thongprayoon C, Ungprasert P. Coffee consumption and risk of nonalcoholic fatty liver disease: a systematic review and meta-analysis. *Eur J Gastro Hepatol*. 2017;29(2):e8-e12

Wojcicki J, Pawlik A, Samochawiec L, Katdenska M, Mysliwiec Z: Clinical evaluation of lecithin as a lipid-lowering agent. Short communication. *Phytother Res* 9: 597–599, 1995.

Xiong XJ, Wang PQ, Li SJ, Li XK, Zhang YQ, Wang J. Garlic for hypertension: A systematic review and meta-analysis of randomized controlled trials. *Phytomedicine*. 2015 Mar 15;22(3):352-61.

Yoshida H, Yanai H, Ito K, Tomono Y, Koikeda T, Tsukahara H, Tada N. Administration of natural astaxanthin increases serum HDL-cholesterol and adiponectin in subjects with mild hyperlipidemia. *Atherosclerosis*. 2010 Apr;209(2):520-3.

Zeisel SH. Choline: critical role during fetal development and dietary requirements in adults. *Annu Rev Nutr*. 2006;26:229–250.

Zeisel SH, da Costa KA. Choline: an essential nutrient for public health. *Nutr Rev*. 2009 Nov;67(11):615-23.

Zeng T, Guo FF, Zhang CL, Song FY, Zhao XL, Xie KQ. A meta-analysis of randomized, double-blind, placebo-controlled trials for the effects of garlic on serum lipid profiles. *J Sci Food Agric*. 2012 J

Zhao YC, Zhao GJ, Chen Z, She ZG, Cai J, Li H. Nonalcoholic Fatty Liver Disease: An Emerging Driver of Hypertension. *Hypertension*. 2020 Feb;75(2):275-284.

Zolfaghari H, Askari G, Siassi F, Feizi A, Sotoudeh G. Intake of nutrients, fiber, and sugar in patients with nonalcoholic fatty liver disease in comparison to healthy individuals. *Int J Prev Med*. 2016;7:98.

### **Sophie Barrett:**

*Zelber-Sagi, S., et al.* (2017). The Mediterranean dietary pattern as the diet of choice for non-alcoholic fatty liver disease: Evidence and plausible mechanisms. *Liver International*, 37(7), 936–949. [PubMed+2Wiley Online Library+2Wiley Online Library+2](#)

*Kubo, K., & Nanba, H.* (1996). The effect of Maitake mushroom on liver and serum lipids. *Alternative Therapies in Health and Medicine*, 2(5), 62–66. [PubMed+2SCIRP+2altmedrev.com+2](#)

*Abenavoli, L., et al.* (2018). Milk thistle to treat non-alcoholic fatty liver disease: Dream or reality? *International Journal of Molecular Sciences*, 19(10), 2750. [ResearchGate](#)

*Gu, Y., et al.* (2021). Berberine in non-alcoholic fatty liver disease: A systematic review and meta-analysis. *BMC Gastroenterology*, 21, 88. [PMC](#)

*Romagnolo, D. F., et al.* (2019). Mediterranean diet and NAFLD: What we know and questions that need answering. *Nutrients*, 11(12), 2971. [MDPI](#)