

## References Nutrition I-Mag winter

### IBS feature:

#### Keri Briggs:

Achamrah N, Déchelotte P, Coëffier M. Glutamine and the regulation of intestinal permeability: from bench to bedside. *Curr Opin Clin Nutr Metab Care*. 2017 Jan;20(1):86-91.

Alammar N, Wang L, Saberi B, Nanavati J, Holtmann G, Shinohara RT, Mullin GE. The impact of peppermint oil on the irritable bowel syndrome: a meta-analysis of the pooled clinical data. *BMC Complement Altern Med*. 2019 Jan 17;19(1):21

Azad MAK, Sarker M, Li T, Yin J. Probiotic Species in the Modulation of Gut Microbiota: An Overview. *Biomed Res Int*. 2018 May 8;

Barbara G, Feinle-Bisset C, Ghoshal UC et al. The intestinal microenvironment and functional gastrointestinal disorders. *Gastroenterology*. 2016; 150: 1305–1318

Bekar, O.; Yilmaz, Y.; Gulten, M. Kefir Improves the Efficacy and Tolerability of Triple Therapy in Eradicating *Helicobacter pylori*. *J. Med. Food* 2011, 14, 344–347

Bouhnik Y., Raskine L., Simoneau G., Vicaut E., Neut C., Flourié B., Brouns F., Bornet F.R. The capacity of nondigestible carbohydrates to stimulate fecal bifidobacteria in healthy humans: A double-blind, randomized, placebo-controlled, parallel-group, dose-response relation study. *Am. J. Clin. Nutr*. 2004;80:1658–1664

Bundy R, Walker AF, Middleton RW, Marakis G, Booth JC. Artichoke leaf extract reduces symptoms of irritable bowel syndrome and improves quality of life in otherwise healthy volunteers suffering from concomitant dyspepsia: a subset analysis. *J Altern Complement Med*. 2004 Aug;10(4):667-9.

Bundy R, Walker AF, Middleton RW, Booth J. Turmeric extract may improve irritable bowel syndrome symptomology in otherwise healthy adults: a pilot study. *J Altern Complement Med*. 2004 Dec;10(6):1015-8. doi: 10.1089/acm.2004.10.1015. PMID: 15673996.

Canavan C, West J, Card T. The epidemiology of irritable bowel syndrome. *Clin Epidemiol*. 2014 Feb 4;6:71-80.

Capurso L. Thirty Years of *Lactobacillus rhamnosus* GG: A Review. *J Clin Gastroenterol*. 2019 Mar;53 Suppl 1:S1-S41

Cardona F, Andrés-Lacueva C, Tulipani S, Tinahones FJ, Queipo-Ortuño MI. Benefits of polyphenols on gut microbiota and implications in human health. *J Nutr Biochem*. 2013 Aug;24(8):1415-22.

Carroll IM, Ringel-Kulka T, Siddle JP, et al. Alterations in composition and diversity of the intestinal microbiota in patients with diarrhea-predominant irritable bowel syndrome. *Neurogastroenterol Motil* 2012;24:521–30

Clapp M, Aurora N, Herrera L, Bhatia M, Wilen E, Wakefield S. Gut microbiota's effect on mental health: The gut-brain axis. *Clin Pract*. 2017 Sep 15;7(4):987.

Corazzari E. Definition and epidemiology of functional gastrointestinal disorders. *Best Pract Res Clin Gastroenterol*. 2004 Aug;18(4):613-31

Corrêa-Oliveira R, Fachi JL, Vieira A, Sato FT, Vinolo MAR: Regulation of immune cell function by short-chain fatty acids. *Clin Transl Immunol* 2016, 5:e73

Cronin P, Joyce SA, O'Toole PW, O'Connor EM. Dietary Fibre Modulates the Gut Microbiota. *Nutrients*. 2021 May 13;13(5):1655.

Dale HF, Rasmussen SH, Asiller ÖÖ, Lied GA. Probiotics in Irritable Bowel Syndrome: An Up-to-Date Systematic Review. *Nutrients*. 2019 Sep 2;11(9):2048

De Vadder F, Grasset E, Manneras Holm L et al. Gut microbiota regulates maturation of the adult enteric nervous system via enteric serotonin networks. *Proc. Natl. Acad. Sci. U.S.A.* 2018; 115: 6458–63

Dimidi E, Cox SR, Rossi M, Whelan K. Fermented Foods: Definitions and Characteristics, Impact on the Gut Microbiota and Effects on Gastrointestinal Health and Disease. *Nutrients.* 2019 Aug 5;11(8):1806.

Dowden, A. (2021), The impact of chronic constipation in adults. *Prescriber*, 32: 25-28

Dunlop SP, Coleman NS, Blackshaw E, Perkins AC, Singh G, Marsden CA, Spiller RC. Abnormalities of 5-hydroxytryptamine metabolism in irritable bowel syndrome. *Clin Gastroenterol Hepatol.* 2005;3:349–357

Fogliano V, Corollaro ML, Vitaglione P, Napolitano A, Ferracane R, Travaglia F et al. In vitro bioaccessibility and gut biotransformation of polyphenols present in the water-insoluble cocoa fraction. *Mol Nutr Food Res*, 55 (1) (2011), pp. 44-55

Ford AC, Marwaha A, Sood R, et al. Global prevalence of, and risk factors for, uninvestigated dyspepsia: a meta-analysis. *Gut* 2015;64:1049–57

Francavilla R, Miniello V, Magistà AM, De Canio A, Bucci N, Gagliardi F, Lionetti E, Castellaneta S, Polimeno L, Peccarisi L, Indrio F, Cavallo L. A randomized controlled trial of Lactobacillus GG in children with functional abdominal pain. *Pediatrics.* 2010 Dec;126(6):e1445-52.

Gargari G, Taverniti V, Gardana C, et al. Fecal Clostridiales distribution and short-chain fatty acids reflect bowel habits in irritable bowel syndrome. *Environ Microbiol* 2018;20:3201–3213.

Ghoshal U, Shukla R, Srivastava D, Ghoshal UC. Irritable bowel syndrome, particularly the constipation-predominant form, involves an increase in *Methanobrevibacter smithii*, which is associated with higher methane production. *Gut Liver.* 2016; 10: 932–8.

Gibson GR, Probert HM, Van Loo J, Rastall RA, Roberfroid MB. Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutr Res Rev* 2004; 17:259-75;

Hodgkinson K, El Abbar F, Dobranowski P, Manoogian J, Butcher J, Figeys D, Mack D, Stintzi A. Butyrate's role in human health and the current progress towards its clinical application to treat gastrointestinal disease. *Clin Nutr.* 2023 Feb;42(2):61-75.

Hojsak I. Probiotics in Functional Gastrointestinal Disorders. *Adv Exp Med Biol.* 2019;1125:121-137.

Hussain Z, Quigley EM. Systematic review: Complementary and alternative medicine in the irritable bowel syndrome. *Aliment Pharmacol Ther.* 2006;23:465–471.

Jeong K, Kim M, Jeon SA, Kim YH, Lee S. A randomized trial of Lactobacillus rhamnosus IDCC 3201 tyndallizate (RHT3201) for treating atopic dermatitis. *Pediatr Allergy Immunol.* 2020 Oct;31(7):783-792

Jiang H, Ling Z, Zhang Y, Mao H, Ma Z, Yin Y, Wang W, Tang W, Tan Z, Shi J: Altered fecal microbiota composition in patients with major depressive disorder. *Brain Behav Immun* 2015, 48:186–194.

Kennedy TM, Jones RH, Hunging AP, et al. Irritable bowel syndrome, gastro-oesophageal reflux, and bronchial hyper-responsiveness in the general population. *Gut* 1998; 43: 770–774

Khanna R, MacDonald JK, Levesque BG. Peppermint oil for the treatment of irritable bowel syndrome: a systematic review and meta-analysis. *J Clin Gastroenterol.* 2014 Jul;48(6):505-12. doi: 10.1097/MCG.0b013e3182a88357. PMID: 24100754.

Klarin B, Johansson ML, Molin G, Larsson A, Jeppsson B. Adhesion of the probiotic bacterium *Lactobacillus plantarum* 299v onto the gut mucosa in critically ill patients: a randomised open trial. *Crit Care*. 2005 Jun;9(3):R285-93.

Knowles SR, Nelson EA, Palombo EA: Investigating the role of perceived stress on bacterial flora activity and salivary cortisol secretion: a possible mechanism underlying susceptibility to illness. *Biol Psychol* 2008, 77:132–137

Koloski NA, Talley NJ, Boyce PM. The impact of functional gastrointestinal disorders on quality of life. *Am J Gastroenterol*. 2000 Jan;95(1):67-71.

Kozyrskyj AL; CHILD Study Investigators. Postnatal exposure to household disinfectants, infant gut microbiota and subsequent risk of overweight in children. *CMAJ*. 2018 Sep 17;190(37)

Laake, K.O., Bjorneklett, A., Bakka, A., Midtvedt, T., Norin, K.E., Eide, T.J., Jacobsen, M.B., Lingaas, E., Axelsen, A.K., Lotveit, T., Vatn, M.H. Influence of fermented milk on clinical state, fecal bacterial counts and biochemical characteristics in patients with ileal- pouch- anal-anastomosis. 1999. *Microbial Ecology in Health and Disease*, 11: 211-217

Le Chatelier E, Nielsen T, Qin J, Prifti E, Hildebrand F, Falony G, Almeida M, Arumugam M, Batto JM, Kennedy S, Leonard P, Li J, Burgdorf K, Grarup N, Jørgensen T, Brandslund I, Nielsen HB, Juncker AS, Bertalan M, Levenez F, Pons N, Rasmussen S, Sunagawa S, Tap J, Tims S, Zoetendal EG, Brunak S, Clément K, Doré J, Kleerebezem M, Kristiansen K, Renault P, Sicheritz-Ponten T, de Vos WM, Zucker JD, Raes J, Hansen T; MetaHIT consortium; Bork P, Wang J, Ehrlich SD, Pedersen O. Richness of human gut microbiome correlates with metabolic markers. *Nature*. 2013 Aug 29;500(7464):541-6.

Liu F., Li P., Chen M., Luo Y., Prabhakar M., Zheng H., He Y., Qi Q., Long H., Zhang Y., et al. Fructooligosaccharide (FOS) and Galactooligosaccharide (GOS) Increase *Bifidobacterium* but Reduce Butyrate Producing Bacteria with Adverse Glycemic Metabolism in healthy young population. *Sci. Rep.* 2017;7:1178

Lopitz-Otsoa, F.; Rementeria, A.; Elguezabal, N.; Garaizar, J. Kefir: A symbiotic yeasts-bacteria community with alleged healthy capabilities. *Rev. Iberoam. Micol.* 2006, 23, 67–74.

Lustyk MK, Jarrett ME, Bennett JC, Heitkemper MM. Does a physically active lifestyle improve symptoms in women with irritable bowel syndrome? *Gastroenterol Nurs.* 2001;24:129–137.

Madison A, Kiecolt-Glaser JK. Stress, depression, diet, and the gut microbiota: human-bacteria interactions at the core of psychoneuroimmunology and nutrition. *Curr Opin Behav Sci.* 2019 Aug;28:105-110.

Magnusson KR, Hauck L, Jeffrey BM, Elias V, Humphrey A, Nath R, Perrone A, Bermudez LE. Relationships between diet-related changes in the gut microbiome and cognitive flexibility. *Neuroscience.* 2015 Aug 6;300:128-40.

Mahon J, Lifschitz C, Ludwig T, et al. The costs of functional gastrointestinal disorders and related signs and symptoms in infants: a systematic literature review and cost calculation for England *BMJ Open* 2017

Mars RAT, Yang Y, Ward T, et al. Longitudinal multi-omics reveals subset-specific mechanisms underlying irritable bowel syndrome. *Cell* 2020.

Mars RAT, Frith M, Kashyap PC. Functional Gastrointestinal Disorders and the Microbiome-What Is the Best Strategy for Moving Microbiome-based Therapies for Functional Gastrointestinal Disorders into the Clinic? *Gastroenterology.* 2021 Jan;160(2):538-555

McDonald D, Hyde E, Debelius JW, Morton JT, Gonzalez A, Ackermann G, Aksenov AA, Behsaz B, Brennan C, Chen Y, DeRight Goldasich L, Dorrestein PC, Dunn RR, Fahimipour AK, Gaffney J, Gilbert JA, Gogul G, Green JL, Hugenholtz P, Humphrey G, Huttenhower C, Jackson MA, Janssen S, Jeste DV, Jiang L, Kelley ST, Knights D, Kosciolk T, Ladau J, Leach J, Marotz C, Meleshko D, Melnik AV, Metcalf JL, Mohimani H, Montassier E, Navas-Molina J, Nguyen TT, Peddada S, Pevzner P, Pollard KS, Rahnavard G, Robbins-Pianka A, Sangwan N, Shorestein J, Smarr L, Song SJ, Spector T, Swafford AD, Thackray VG, Thompson LR, Tripathi A, Vázquez-Baeza Y, Vrbanc A, Wischmeyer P, Wolfe E, Zhu Q; American Gut Consortium; Knight R. American Gut: an Open Platform for Citizen Science Microbiome Research. *mSystems*. 2018 May 15;3(3)

Medeconnect. Online survey carried out in June and July 2010 involving a nationally representative sample of 508 GPs of all grades who were members of Doctors.net.uk. Data on file

Paduano D, Cingolani A, Tanda E, Usai P. Effect of Three Diets (Low-FODMAP, Gluten-free and Balanced) on Irritable Bowel Syndrome Symptoms and Health-Related Quality of Life. *Nutrients*. 2019 Jul 11;11(7):1566

Qin HY, Cheng CW, Tang XD, Bian ZX. Impact of psychological stress on irritable bowel syndrome. *World J Gastroenterol*. 2014 Oct 21;20(39):14126-31.

Queipo-Ortuño MI, Boto-Ordóñez M, Murri M, Gomez-Zumaquero JM, Clemente-Postigo M, Estruch R, Cardona Diaz F, Andrés-Lacueva C, Tinahones FJ. Influence of red wine polyphenols and ethanol on the gut microbiota ecology and biochemical biomarkers. *Am J Clin Nutr*. 2012

Ruben A.T. Mars, Mary Frith, Purna C. Kashyap. Functional Gastrointestinal Disorders and the Microbiome—What Is the Best Strategy for Moving Microbiome-based Therapies for Functional Gastrointestinal Disorders into the Clinic?, *Gastroenterology*, Volume 160, Issue 2, 2021, Pages 538-555.

Sagen, O.B. Treatment of functional disturbance in the intestine by administration of lactic acid bacteria. 1989. Internal report

Sanchez M, Darimont C, Drapeau V, Emady-Azar S, Lepage M, Rezzonico E et al. Effect of *Lactobacillus rhamnosus* CGMCC13724 supplementation on weight loss and maintenance in obese men and women. *Br J Nutr* 2014; 111: 1507–1519

Savin Z, Kivity S, Yonath H, Yehuda S. Smoking and the intestinal microbiome. *Arch Microbiol*. 2018 Jul;200(5):677-684.

Shen L, Liu L, Ji HF. Regulative effects of curcumin spice administration on gut microbiota and its pharmacological implications. *Food Nutr Res*. 2017 Aug 9;61(1):1361780. doi: 10.1080/16546628.2017.1361780. PMID: 28814952; PMCID: PMC5553098.

Shin A, Preidis GA, Shulman R, Kashyap PC. The gut microbiome in adult and pediatric functional gastrointestinal disorders. *Clin. Gastroenterol. Hepatol*. 2019; 17: 256–74

Smits SA, Leach J, Sonnenburg ED, Gonzalez CG, Lichtman JS, Reid G, Knight R, Manjurano A, Changalucha J, Elias JE, Dominguez-Bello MG, Sonnenburg JL. Seasonal cycling in the gut microbiome of the Hadza hunter-gatherers of Tanzania. *Science* 357, 802–806 (2017)

Sonnenburg ED, Sonnenburg JL. Starving Our Microbial Self: The Deleterious Consequences of a Diet Deficient in Microbiota-Accessible Carbohydrates. *Cell Metab* (2014) 20:779–86.

Spiller RC. Postinfectious irritable bowel syndrome. *Gastroenterology*. 2003;124:1662–1671.

Sun Q, Jia Q, Song L, et al. Alterations in fecal short-chain fatty acids in patients with irritable bowel syndrome: A systematic review and meta-analysis. *Medicine (Baltimore)* 2019.

Talley NJ. Serotonergic neuroenteric modulators. *Lancet*. 2001;358:2061–2068

Talley NJ, Spiller R. Irritable bowel syndrome: a little understood organic bowel disease? *Lancet*. 2002;360:555–564.

Tandon D., Haque M.M., Gote M., Jain M., Bhaduri A., Dubey A.K., Mande S.S. A prospective randomized, double-blind, placebo-controlled, dose-response relationship study to investigate efficacy of fructo-oligosaccharides (FOS) on human gut microflora. *Sci. Rep.* 2019;9:5473

Taneja I, Deepak KK, Poojary G, Acharya IN, Pandey RM, Sharma MP. Yogic versus conventional treatment in diarrhea-predominant irritable bowel syndrome: a randomized control study. *Appl Psychophysiol Biofeedback*. 2004;29:19–33.

Tap J, Derrien M, Tornblom H, et al. Identification of an Intestinal Microbiota Signature Associated With Severity of Irritable Bowel Syndrome. *Gastroenterology* 2017;152:111–123

Tun MH, Tun HM, Mahoney JJ, Konya TB, Guttman DS, Becker AB, Mandhane PJ, Turvey SE, Subbarao P, Sears MR, Brook JR, Lou W, Takaro TK, Scott JA, Wang L, Alammari N, Singh R et al. Gut microbial dysbiosis in the irritable bowel syndrome: a systematic review and meta-analysis of case-control studies. *J. Acad. Nutr. Diet.* 2020; 120: 565–86. 19

Turan, I.; Dedeli, O.; Bor, S.; Ilter, T. Effects of a kefir supplement on symptoms, colonic transit, and bowel satisfaction score in patients with chronic constipation: A pilot study. *Turk. J. Gastroenterol.* 2014, 25, 650–656

Tzounis X, Rodriguez-Mateos A, Vulevic J, Gibson GR, Kwik-Urbe C, Spencer JP. Prebiotic evaluation of cocoa-derived flavanols in healthy humans by using a randomized, controlled, double-blind, crossover intervention study. *Am J Clin Nutr.* 2011 Jan;93(1):62-72.

Walker AF, Middleton RW, Petrowicz O. Artichoke leaf extract reduces symptoms of irritable bowel syndrome in a post-marketing surveillance study. *Phytother Res.* 2001 Feb;15(1):58-61.

Wei L, Singh R, Ro S, Ghoshal UC. Gut microbiota dysbiosis in functional gastrointestinal disorders: Underpinning the symptoms and pathophysiology. *JGH Open.* 2021 Mar 23;5(9):976-987.

Wen Y, Li J, Long Q, Yue CC, He B, Tang XG. The efficacy and safety of probiotics for patients with constipation-predominant irritable bowel syndrome: A systematic review and meta-analysis based on seventeen randomized controlled trials. *Int J Surg.* 2020 Jul;79:111-119

Willson K, Situ C: Systematic review on effects of diet on gut microbiota in relation to metabolic syndromes. *J Clin Nutr Metab* 2017, 1.

Wu GD, Chen J, Hoffmann C, Bittinger K, Chen Y-Y, Keilbaugh SA, Bewtra M, Knights D, Walters WA, Knight R: Linking long-term dietary patterns with gut microbial enterotypes. *Science* 2011, 334:105–108

Yilmaz, I.; Dolar, M.E.; Ozpinar, H. Effect of administering kefir on the changes in fecal microbiota and symptoms of inflammatory bowel disease: A randomized controlled trial. *Turk. J. Gastroenterol.* 2019, 30, 242

Zeng M, Inohara N, Nuñez G: Mechanisms of inflammation-driven bacterial dysbiosis in the gut. *Mucosal Immunol* 2017, 10:18

Zhang T, Zhang C, Zhang J, Sun F, Duan L. Efficacy of Probiotics for Irritable Bowel Syndrome: A Systematic Review and Network Meta-Analysis. *Front Cell Infect Microbiol.* 2022 Apr 1;12:

Zhou Q, Verne ML, Fields JZ, Lefante JJ, Basra S, Salameh H, Verne GN. Randomised placebo-controlled trial of dietary glutamine supplements for postinfectious irritable bowel syndrome. *Gut.* 2019 Jun;68(6):996-1002.

### **Ingredient spotlight:**

1. Jong Hyuk Yoon et al. ,Brain lipidomics: From functional landscape to clinical significance.*Sci. Adv.*8,eadc9317(2022).DOI:10.1126/sciadv.adc9317

2. Emre, C., Do, K. V., Jun, B., Hjorth, E., Alcalde, S. G., Kautzmann, M. I., Gordon, W. C., Nilsson, P., Bazan, N. G., & Schultzberg, M. (2021). Age-related changes in brain phospholipids and bioactive lipids in the APP knock-in mouse model of Alzheimer's disease. *Acta neuropathologica communications*, 9(1), 116.

<https://doi.org/10.1186/s40478-021-01216-4>

### **Ask the experts**

#### **Alice Mackintosh:**

1. Smith RN, Mann NJ, Braue A, Mäkeläinen H, Varigos GA. A low-glycemic-load diet improves symptoms in acne vulgaris patients: A randomized controlled trial. *Am J Clin Nutr.* 2008;86(1):107-15.

2. Meixiong J, Ricco C, Vasavda C, Ho BK. Diet and acne: A systematic review. *JAAD Int.* 2022;7:95-112. doi: 10.1016/j.jdin.2022.02.012.

3. Burris J, Rietkerk W, Shikany JM, Woolf K. Differences in dietary glycemic load and hormones in New York City adults with no and moderate/severe acne. *J Acad Nutr Diet.* 2017;117(9):1375-83.

4. Bowe WP, Logan AC. Acne vulgaris, probiotics and the gut-brain-skin axis - back to the future? *Gut Pathog.* 2011;3(1):1-11.

5. Sánchez-Pellicer P, Navarro-Moratalla L, Núñez-Delegido E, Ruzafa-Costas B, Agüera-Santos J, Navarro-López V. Acne, microbiome, and probiotics: The gut-skin axis. *Microorganisms.* 2022;10(7):1303.

6. Shiau SY, Chang GW. Effects of dietary fiber on fecal mucinase and beta-glucuronidase activity in rats. *J Nutr.* 1983;113(1):138-44.

7. Baker JM, Al-Nakkash L, Herbst-Kralovetz MM. Estrogen-gut microbiome axis: Physiological and clinical implications. *Maturitas.* 2017;103:45-53.

8. Yee BE, Richards P, Sui JY, Marsch AF. Serum zinc levels and efficacy of zinc treatment in acne vulgaris: A systematic review and meta-analysis. *Dermatol Ther.* 2020;33(6):e14252.

9. Lim SK, Ha JM, Lee YH, Lee Y, Seo YJ, Kim CD, Lee JH, Im M. Comparison of vitamin D levels in patients with and without acne: A case-control study combined with a randomized controlled trial. *PLoS One.* 2016;11(8):e0161162.

10. Logan AC. Omega-3 fatty acids and acne. *Arch Dermatol.* 2003;139(7):941-2.

11. Zari S, Alrahmani D. The association between stress and acne among female medical students in Jeddah, Saudi Arabia. *Clin Cosmet Investig Dermatol.* 2017;10:503-6.

#### **Annie Edwards:**

1. Martens CR, Denman BA, Mazzo MR, et al. Chronic nicotinamide riboside supplementation is well-tolerated and elevates NAD<sup>+</sup> in healthy middle-aged and older adults. *Nat Commun.* 2018;9(1):1286. Published 2018 Mar 29. doi:10.1038/s41467-018-03421-7
2. Compound prevents neurological damage, shows cognitive benefits in mouse model of Alzheimer's disease. National Institutes of Health (NIH). Published February 6, 2018. Accessed September 30, 2024. <https://www.nih.gov/news-events/news-releases/compound-repairs-neurological-damage-shows-cognitive-benefits-mouse-model-alzheimers-disease>
3. Biță A, Scorei IR, Ciocîlteu MV, et al. Nicotinamide Riboside, a Promising Vitamin B3 Derivative for Healthy Aging and Longevity: Current Research and Perspectives. *Molecules.* 2023;28(16):6078. Published 2023 Aug 15. doi:10.3390/molecules28166078
4. Lapatto HAK, Kuusela M, Heikkinen A, et al. Nicotinamide riboside improves muscle mitochondrial biogenesis, satellite cell differentiation, and gut microbiota in a twin study. *Sci Adv.* 2023;9(2):eadd5163. doi:10.1126/sciadv.add5163

#### Vitamin D:

1. *Vitamin D and Health.* London: Public Health England. Available at: <https://www.gov.uk/government/publications/vitamin-d-and-health-sacn-report> [Accessed 1 October 2024].
2. Di Gessa, G., Biddulph, J.P., Zaninotto, P. & de Oliveira, C., 2021. Changes in vitamin D levels and depressive symptoms in later life in England. *Scientific Reports*, 11(7724), pp.1-9.
3. Giustina, A., Bilezikian, J.P., Adler, R.A., Banfi, G., Bikle, D.D., Binkley, N., Bollerslev, J., Bouillon, R., Brandi, M.L., Casanueva, F.F. & di Filippo, L., 2024. Consensus statement on Vitamin D status assessment and supplementation: Whys, whens, and hows. *Endocrine Reviews*, 45(5), pp.625-654.
4. *Vitamin D: The NHS guide to maintaining healthy bones and teeth.* [pdf] Available at: <https://www.nhs.uk> [Accessed 1 October 2024].
5. Guzek, D., Kołota, A., Lachowicz, K., Skolmowska, D., Stachon, M. & Głąbska, D., 2021. Association between Vitamin D supplementation and mental health in healthy adults: A systematic review. *Journal of Clinical Medicine*, 10(5156), pp.1-18.